

Index



- Acne, 262-269
boils, 269
cautions and interactions, 268
description, 262
desired botanical actions, 264-268
dosage, 266
 alternative, 268
etiologies, 262-263
gender of herbs, 267
herb selection and formula, 266
 alternative, 267-268
measurable outcomes, 264
other therapies, 268
topical treatment, 269
typical case presentation, 263-264
- Acupuncture, 13, 49, 54, 77, 89, 100, 178, 288, 296, 331, 338, 350
- Acute Injury, 283
- Adaptogen Botanical Action
 characteristic examples, 372
 defintion, 372
 other herbs to consider, 372
 systems and activities, 372
 used to treat, 372
 acne, 264
 anxiety, 300
 asthma, 45, 46
 automimmune conditions, 118, 119
 cancer, 124
 chronic bronchitis, 51
 chronic sinusitis, 67, 68
- Clostridium difficile*
 infections, 108
 cognitive decline in elderly, 366
 convalescence, 114
 Crohn's and Ulcerative Colitis, 15, 16
 depression, 308
 eczema, 270, 271
 emphysema, 55
 female hormone patterns, deficient, 173, 174
- Gastroesophageal Reflux Disorder (GERD), 21, 22
- headaches and migraines, 334
- Hepatitis B and C, 96, 97
- hypothyroid conditions, 202, 203
- immunocompromise, conditions of, 91
- infections, recurrent, 72
- insomnia, 315, 316
- Irritable Bowel Syndrome (IBS), 10
- libido, lowered, 182
- Lyme and co-infections, 102, 103
- Myalgic Encephalomyelitis, 81
- obesity, 216, 217
- pain management, 323, 324
- topical lesions, 247, 248
- Type II Diabetes, 209, 210
- urinary tract infection, 135
- Adaptogens, 381-385
 buffer stress, 381
 by system
 adrenal, 382
 cardiovascular, 384
 digestive, 383-384
 female hormone, 384
 grounding, 382
 immune, 382-383
 male hormone, 384
 nervous, 383
 respiratory, 383
 stimulating, 382
 convalescence, 381
 nourish, 381
 overview, 381
 relative differentiation of, 385
- Adaptogens, Immune Modulators and Alternatives, 73-74
- Advanced Harm Reduction for Chronic Bronchitis and Emphysema, 57
- Agarikon (*Fomitopsis officinalis*)
 convalescence, 115
 immunocompromise, conditions of, 92
- Agrimony (*Agrimonia eupatoria*)
 caution/contraindication, 404
 closest substitute, 404
 constituents, 404
 dose, infusion or decoction, 404

- dose, tincture, 404
 extra information, 404
 indications, 404
 pairs well with, 404
 part of plant used, 404
 primary actions, 404
 summary, chart, 464
 used to treat
 anxiety, 301
 Crohn's and Ulcerative Colitis, 15
 depression, 309
 insomnia, 316
 kidney stones, 155
 urinary tract infection, 136
 vaginal yeast infections, recurrent, 147
- Alfalfa (*Medicago sativa*)**
 caution/contraindication, 434
 closest substitute, 434
 constituents, 434
 dose, infusion or decoction, 434
 dose, tincture, 434
 extra information, 434
 indications, 434
 pairs well with, 434
 part of plant used, 434
 primary actions, 434
 summary, chart, 474
- Allergies, Seasonal and Situational, 85-90**
 cautions and interactions, 89
 common air borne allergens, 86
 description, 85
 desired botanical actions, 86-88
 dosage, 88
 etiologies, 85-86
 herb selection and formula, 87
 alternative, 89
 measurable outcomes, 86
 other therapies, 89
 pets, treating the triggers, 90
 spring cleanses and bear medicine, 88
 typical case presentation, 86
- Aloe (*Aloe* spp.)**
 caution/contraindication, 405
 closest substitute, 405
 constituents, 405
 dose, infusion or decoction, 405
 dose, tincture, 405
 extra information, 405
 indications, 405
 pairs well with, 405
 part of plant used, 405
 primary actions, 405
 summary, chart, 464
 used to treat
 constipation, 28
 diarrhea, 35
 Hepatitis B and C, 99
 psoriasis, 277
 topical lesions (topical use), 248
- Alterative Botanical Action**
 characteristic examples, 372
 definition, 372
 other herbs to consider, 372
 systems and activities, 372
 used to treat, 372
 acne, 264
 allergies, seasonal and situational, 86, 87
 asthma, 45, 46
 atopic presentations in children, 354
 attention challenges in children, 363
 Benign Prostatic Hyperplasia, 193
 cancer, 124
 chronic bronchitis, 51
 colds and flus, acute, 61, 62
 congestive heart failure, 232
 constipation, 27, 28
 convalescence, 114
 Crohn's and Ulcerative Colitis, 15
 eczema, 270, 271
 emphysema, 55
 female hormone patterns, deficient, 173, 174
 female hormone patterns, excess, 163, 164
 gallstones, 37, 38
 gout, 149
 headaches and migraines, 334
 hemorrhoids and varicose veins, 238
 Hepatitis B and C, 96, 97
 hypothyroid conditions, 202, 203
 immunocompromise, conditions of, 91
 infections, recurrent, 72
 Irritable Bowel Syndrome (IBS), 10
 libido, lowered, 182
 Myalgic Encephalomyelitis, 81
 obesity, 216
 osteoarthritis, 284
 pain management, 323
 prenatal care, 349
 psoriasis, 275
 rheumatoid arthritis, 291, 292
 Type II Diabetes, 209
 vaginal yeast infections, recurrent, 143
- Alteratives, 386-389**
 by system
 cholagogue, 386
 endocrine, 388
 for the skin, 387
 hepatic, 386
 laxatives, 386-387
 lymphatics, 387
 respiratory, 387-388
 clear toxins, 386
 overview, 386
 relative differentiation, 389
 restore healthy function, 386
 root-level treatment, 386
- Alzheimer's. See Cognitive Decline in Elderly.**
- Amenorrhea, Secondary. See Female Hormone Patterns, Deficient.**
- Analgesic Botanical Action**
 characteristic examples, 372
 definition, 372
 other herbs to consider, 372
 systems and activities, 372
 used to treat, 372
 female hormone patterns, excess, 163
 gallstones, 37
 headaches and migraines, 334, 335
 kidney stones, 154, 155
 osteoarthritis, 284, 285
 pain management, 323, 324
 rheumatoid arthritis, 291, 292
- Angelica (*Angelica sinensis* a.k.a. *dong quai*)**
 caution/contraindication, 406



- closest substitute, 406
 constituents, 406
 dose, infusion or decoction, 406
 dose, tincture, 406
 extra information, 406
 indications, 406
 pairs well with, 406
 part of plant used, 406
 primary actions, 406
 summary, chart, 465
 used to treat
 anxiety, 301, 302
 convalescence, 114, 116
 female hormone patterns, deficient, 174, 175, 176
 insomnia, 316
 vaginal yeast infections, recurrent, 144, 147
- Anise (*Pimpinella anisum*)**
 caution/contraindication, 440
 closest substitute, 440
 constituents, 440
 dose, infusion or decoction, 440
 dose, tincture, 440
 extra information, 440
 indications, 440
 pairs well with, 440
 part of plant used, 440
 primary actions, 440
 summary, chart, 476
 used to treat
 female hormone patterns, excess, 165, 168
 gallstones, 38
 libido, lowered, 183
 nausea, 32
- Antibacterial Botanical Action**
 characteristic examples, 373
 definition, 373
 other herbs to consider, 373
 systems and activities, 373
 used to treat, 373
 acne, 265
 Myalgic Encephalomyelitis, 81
 topical infections, immune system breakdown, 252
- Antibiotics, A Note on, 60-61**
- Antiemetic Botanical Action**
 characteristic examples, 372
 definition, 372
 other herbs to consider, 372
- systems and activities, 372
 used to treat, 372
- Antifungal Botanical Action**
 characteristic examples, 373
 definition, 373
 other herbs to consider, 373
 systems and activities, 373
 used to treat, 373
 chronic sinusitis, 67
 Myalgic Encephalomyelitis, 81
 topical infections, change in local terrain, 255
 vaginal yeast infections, recurrent, 143
- Anti-inflammatory Botanical Action**
 characteristic examples, 372
 definition, 372
 other herbs to consider, 372
 systems and activities, 372
 used to treat, 372
 allergies, seasonal and situational, 86, 87
 asthma, 45
 automimmune conditions, 118, 119
 chronic bronchitis, 51
 Crohn's and Ulcerative Colitis 15, 16
 emphysema, 55
 Gastroesophageal Reflux Disorder (GERD), 21
 gout, 149
 headaches and migraines, 334, 335
 hypertension, atherosclerosis, cardiovascular disease, 226, 227
 osteoarthritis, 284, 285
 pain management, 323, 324
 psoriasis, 275, 276
 rheumatoid arthritis, 291, 292
- Antimicrobial Botanical Action**
 characteristic examples, 373
 definition, 373
 other herbs to consider, 373
 systems and activities, 373
 used to treat, 373
 acne, 264, 265
 chronic bronchitis, 51
 chronic sinusitis, 67
 Clostridium difficile infections, 108
- colds and flus, acute, 61, 62
 colds and flus in children, 358
 convalescence, 114
 depression, 308
 diarrhea, 34
 Gastroesophageal Reflux Disorder (GERD), 21, 22
 gout, 149
 hypothyroid conditions, 202, 203
 infections, recurrent, 72-73
 kidney stones, 154, 155
 Lyme and co-infections, 102
 mastitis, 353
 pain management, 323
 perineal healing, 351
 topical infections, change in local terrain, 255
 topical infections, exceeds system's defences, 259, 260
 topical infections, immune system breakdown, 252
 topical lesions, 247
 urinary tract infection, 135
 vaginal yeast infections, recurrent, 143
- Antimicrobials, 391-394**
 antibacterial
 cranberry juice (*Vaccinium macrocarpan succus*), 394
 juniper (*Juniperus communis*), 393
 old man's beard (*Usnea barbata*), 394
 rosemary (*Rosmarinus officinalis*), 393
 sage (*Salvia officinalis*), 394
 thyme (*Thymus vulgaris*), 394
 antifungal, antiparasitic
 black walnut (*Juglans nigra*), 393
 pau d'arco (*Tabebuia impetiginosa*), 394
 antiviral
 cat's claw (*Uncaria tomentosa*), 394

- licorice root (*Glycyrrhiza glabra*), 393
- lomatium (*Lomatium dissectum*), 393
- osha (*Ligusticum porteri*), 393
- St. John's wort (*Hypericum perforatum*), 393
- broad anitmicrobial
 - clove (*Syzygium aromaticum*), 394
 - goldenseal (*Hydrastis canadensis*), 393
 - oregano (*Origanum vulgare*), 393
 - white cedar (*Thuja occidentalis*), 394
- fights infection, 391
 - side effects, 391
 - toxicity, 391
- Antimicrobials in the Kitchen, 61
- Antineoplastic Botanical Action
 - characteristic examples, 373
 - defintion, 373
 - other herbs to consider, 373
 - systems and activities, 373
 - used to treat, 373
 - cancer, 124
- Antiparasitic Botanical Action
 - used to treat
 - Lyme and co-infections, 102
 - Myalgic
 - Encephalomyelitis, 81
- Antispasmodic Botanical Action
 - characteristic examples, 373
 - defintion, 373
 - other herbs to consider, 373
 - systems and activities, 373
 - used to treat, 373
 - allergies, seasonal and situational, 86, 87
 - asthma, 45
 - chronic bronchitis, 51
 - emphysema, 55
 - headaches and migraines, 334, 335
 - gallstones, 37
 - kidney stones, 154, 155
- Antitusive Botanical Action
 - characteristic examples, 373
 - defintion, 373
 - other herbs to consider, 373
 - systems and activities, 373
 - used to treat, 373
- Antiviral Botanical Action
 - characteristic examples, 373
 - defintion, 373
 - other herbs to consider, 373
 - systems and activities, 373
 - used to treat, 373
 - chronic bronchitis, 51
 - colds and flus in children, 358
 - depression, 308
 - Hepatitis B and C, 96
 - Lyme and co-infections, 102, 103
 - Myalgic
 - Encephalomyelitis, 81
 - topical infections, exceeds system's defences, 259
- Anxiety, 298-305
 - cautions and interactions, 304
 - description, 298-299
 - desired botanical actions, 300-304
 - dosage
 - acute, 303
 - alternative, 304
 - base, 301
 - etiologies, 299
 - herb selection and formula
 - acute, 303
 - alternative, 303-304
 - base, 301
 - measurable outcomes, 300
 - other therapies, 304
 - typical case presentation, 299-300
- Archangelica (*Angelica archangelica*)
 - caution/contraindication, 406
 - closest substitute, 406
 - constituents, 406
 - dose, infusion or decoction, 406
 - dose, tincture, 406
 - extra information, 406
 - indications, 406
 - pairs well with, 406
 - part of plant used, 406
 - primary actions, 406
 - summary, chart, 465
 - used to treat
 - anxiety, 301, 302
 - atopic presentations in children, 355
 - constipation, 28, 29
 - chronic bronchitis, 53
- Crohn's and Ulcerative Colitis, 15
- female hormone
 - patterns, deficient, 175
- Gastroesophageal Reflux Disorder (GERD), 22
 - infections, recurrent, 74
 - Irritable Bowel Syndrome (IBS), 11, 12
 - nausea, 32
- Arnica (*Arnica montana*)
 - summary, chart, 465
- ASA. Acetylsalicylic Acid.
- Ashwagandha (*Withania somnifera*)
 - caution/contraindication, 460
 - closest substitute, 460
 - constituents, 460
 - dose, infusion or decoction, 460
 - dose, tincture, 460
 - extra information, 460
 - indications, 460
 - pairs well with, 460
 - part of plant used, 460
 - primary actions, 460
 - summary, chart, 483
 - used to treat
 - anxiety, 301, 302
 - asthma, 46, 48
 - cancer, 125
 - Clostridium difficile* infections, 109, 111
 - cognitive decline in elderly, 367
 - convalescence, 114, 116
 - depression, 309
 - eczema, 271, 272
 - female hormone
 - patterns, deficient, 174, 175, 176
 - Gastroesophageal Reflux Disorder (GERD), 22
 - headaches and migraines, 336
 - hypothyroid conditions, 204, 205
 - immunocompromise, conditions of, 92
 - insomnia, 316
 - libido, lowered, 185
 - Lyme and co-infections, 103, 105
 - Myalgic Encephalomyelitis, 82, 83



- pain management, 325
 topical lesions (internal use), 248
- Assessment, 2
- Asthma, 44-49. *See also* Atopic Presentations in Children.
- cautions and interactions, 48-49
 - description, 44
 - desired botanical actions, 45-47
 - dosage, 47
 - etiologies, 44-45
 - herb selection and formula, 47
 - alternative, 48
 - measurable outcomes, 45
 - other therapies, 49
 - typical case presentation, 45
- Astragalus (*Astragalus membranaceus*)
- caution/contraindication, 409
 - closest substitute, 409
 - constituents, 409
 - dose, infusion or decoction, 409
 - dose, tincture, 409
 - extra information, 409
 - indications, 409
 - pairs well with, 409
 - part of plant used, 409
 - primary actions, 409
 - summary, chart, 466
 - used to treat
 - anxiety, 301, 302
 - automimmune conditions, 120
 - cancer, 125, 127
 - Clostridium difficile* infections, 109
 - colds and flus, acute, 62
 - colds and flus in children, 359
 - convalescence, 114, 116
 - Hepatitis B and C, 97
 - immunocompromise, conditions of, 92, 93-94
 - infections, recurrent, 74, 75, 76
 - Myalgic
 - Encephalomyelitis, 82
 - pain management, 325
 - pain management (fibromyalgia), 327
 - topical lesions (internal use), 248
 - urinary tract infection, 136
 - vaginal yeast infections, recurrent, 144
- Astringent Botanical Action
- characteristic examples, 374
 - definition, 374
 - other herbs to consider, 374
 - systems and activities, 374
 - used to treat, 374
 - Benign Prostatic Hyperplasia, 193, 194
 - Clostridium difficile* infections, 108
 - constipation, 27, 28
 - Crohn's and Ulcerative Colitis, 15
 - diarrhea, 34
 - gallstones, 37, 38
 - hemorrhoids and varicose veins, 238, 239
 - Irritable Bowel Syndrome (IBS), 10
 - perineal healing, 351
 - prenatal care, 349
 - topical infections, change in local terrain, 255
 - topical infections, exceeds system's defences, 259
 - topical infections, immune system breakdown, 252
 - topical lesions, 247, 248
 - Type II Diabetes, 209, 210
 - urinary tract infection, 135
 - vaginal yeast infections, recurrent, 143
- Atherosclerosis. *See* Hypertension, Atherosclerosis, Cardiovascular Disease.
- Atopic Presentations in Children, 353-356
- cautions and interactions, 356
 - description, 353
 - desired botanical actions, 354-356
 - dosage, 355
 - etiologies, 354
 - herb selection and formula, 355
 - alternative, 356
 - measurable outcomes, 354
 - other therapies, 356
 - typical case presentation, 354
 - warts, 356
- Attention Challenges in Children, 361-365
- cautions and interactions, 364
 - description, 361-362
 - desired botanical actions, 363-364
 - dosage, 364
 - etiologies, 362
 - herb selection and formula, 364
 - measurable outcomes, 263
 - other therapies, 364
 - typical case presentation, 362
- Automimmune Conditions, 117-122
- cautions and interactions, 121-122
 - description, 117-118
 - desired botanical actions, 118-121
 - dosage, 120
 - etiologies, 118
 - herb selection and formula, 120
 - alternative, 121
 - measurable outcomes, 118
 - other therapies, 122
 - typical case presentation, 118
- Bacteria, Infections from. *See* Topical Infections.
- Baikal Skullcap (*Scutellaria baicalensis*)
- caution/contraindication, 448
 - closest substitute, 448
 - constituents, 448
 - dose, infusion or decoction, 448
 - dose, tincture, 448
 - extra information, 448
 - indications, 448
 - pairs well with, 448
 - part of plant used, 448
 - primary actions, 448
 - summary, chart, 478
- Barberry (*Berberis vulgaris*)
- caution/contraindication, 410
 - closest substitute, 410
 - constituents, 410
 - dose, infusion or decoction, 410

- dose, tincture, 410
 extra information, 410
 indications, 410
 pairs well with, 410
 part of plant used, 410
 primary actions, 410
 summary, chart, 466
 used to treat
 acne, 265, 266
 Clostridium difficile
 infections, 109, 110
 colds and flus, acute,
 62, 63
 gallstones, 38, 39-40
 gout, 150
 Hepatitis B and C, 97,
 98, 99
 hypothyroid
 conditions, 204
 infections, recurrent, 74
 Lyme and co-infections,
 103, 104
 Myalgic
 Encephalomyelitis, 82
 obesity, 218
 psoriasis, 276, 277-278
 rheumatoid arthritis, 293
 Type II Diabetes, 211, 212
- Bearberry (*Arctostaphylos uva-ursi*)**
 caution/contraindication,
 407
 closest substitute, 407
 constituents, 407
 dose, infusion or
 decoction, 407
 dose, tincture, 407
 extra information, 407
 indications, 407
 pairs well with, 407
 part of plant used, 407
 primary actions, 407
 summary, chart, 465
 used to treat
 Benign Prostatic
 Hyperplasia, 195
 urinary tract infections,
 134, 136, 137, 139
- Bee Balm (*Monarda fishulosa*)**
Clostridium difficile
 infections, 109
- Benign Prostatic Hyperplasia,**
 191-199
 cautions and interactions,
 198
 description, 191-192
 desired botanical actions,
 193-198
- dosage, 196
 etiologies, 192-193
 herb selection and
 formula, 195
 alternative, 197-198
 measurable outcomes, 193
 other therapies, 198
 typical case presentation,
 193
- Bitter Botanical Action**
 characteristic examples, 374
 definition, 374
 other herbs to consider, 374
 systems and activities, 374
 used to treat, 374
 gallstones, 37
 Gastroesophageal
 Reflux Disorder
 (GERD), 21
 hemorrhoids and
 varicose veins, 238, 239
 infections, recurrent,
 72, 73
 Irritable Bowel
 Syndrome (IBS), 10
 nausea, 32
 Type II Diabetes, 209, 210
- Bitters**
 advanced application of, 13
 traditional energetics of, 25
- Bitter Melon (*Momordica charantia*)**
 caution/contraindication,
 436
 closest substitute, 436
 constituents, 436
 dose, infusion or
 decoction, 436
 dose, tincture, 436
 extra information, 436
 indications, 436
 pairs well with, 436
 part of plant used, 436
 primary actions, 436
 summary, chart, 475
 used to treat
 Type II Diabetes, 211, 212
- Black Cherry Juice (*Prunus serotina succus*)**
 gout, 150, 151
- Black Cohosh (*Actaea racemosa*)**
 caution/contraindication,
 403
 closest substitute, 403
 constituents, 403
 dose, infusion or
 decoction, 403
 dose, tincture, 403
- extra information, 403
 indications, 403
 pairs well with, 403
 part of plant used, 403
 primary actions, 403
 summary, chart, 464
 used to treat
 during labor, 351
 headaches and
 migraines, 336, 337
 female hormone
 patterns, deficient,
 175, 176
 female hormone
 patterns, excess, 165,
 167
 libido, lowered, 183, 184
 inducing for labor, 350
 pain management, 325
 pain management
 (inflammatory),
 327-328
 vaginal yeast infections,
 recurrent, 144, 147
- Black Haw (*Viburnum prunifolium*)**
 caution/contraindication,
 459
 closest substitute, 459
 constituents, 459
 dose, infusion or
 decoction, 459
 dose, tincture, 459
 extra information, 459
 indications, 459
 pairs well with, 459
 part of plant used, 459
 primary actions, 459
 summary, chart, 483
 used to treat
 female hormone
 patterns, deficient, 175
 female hormone
 patterns, excess, 165,
 167
 libido, lowered, 184
- Black or Green Tea (*Camelia sinensis verde*)**
 caution/contraindication,
 412
 closest substitute, 412
 constituents, 412
 dose, infusion or decoction,
 412
 dose, tincture, 412
 extra information, 412
 indications, 412
 pairs well with, 412



- part of plant used, 412
 primary actions, 412
 used to treat
 chronic sinusitis, 68
 depression, 309
 hemorrhoids and
 varicose veins, 239,
 240, 242
 perineal healing, 351
 topical infections,
 change in local terrain,
 256, 257
 topical infections,
 exceeds system's
 defences, 260
 topical infections,
 immune system
 breakdown, 253
 topical lesions (topical
 use), 249, 250
- Black Salve and Skin Cancer,**
 129-130
- Black Walnut (*Juglans nigra*)**
 caution/contraindication,
 429
 closest substitute, 430
 constituents, 429
 dose, infusion or
 decoction, 430
 dose, tincture, 429
 extra information, 429
 indications, 429
 pairs well with, 430
 part of plant used, 429
 primary actions, 429
 summary, chart, 472
 used to treat
 chronic sinusitis, 68, 69
 Clostridium difficile
 infections, 109
 Lyme and co-infections,
 104
 Myalgic
 Encephalomyelitis, 82
 topical infections,
 change in local
 terrain, 255
 vaginal yeast infections,
 recurrent, 144, 145
- Bladderwrack (*Fucus*
vesiculosus)**
 caution/contraindication,
 423
 closest substitute, 423
 constituents, 423
 dose, infusion or
 decoction, 423
 dose, tincture, 423
- extra information, 423
 indications, 423
 pairs well with, 423
 part of plant used, 423
 primary actions, 423
 summary, chart, 470
 used to treat
 hypothyroid conditions,
 204
- Bladderwrack, What About,**
 207-208
- Blessed Thistle (*Cnicus*
benedictus)**
 nursing, 352
- Blood Root (*Sanguinaria*
canadensis)**
 caution/contraindication,
 447
 closest substitute, 447
 constituents, 447
 dose, infusion or
 decoction, 447
 dose, tincture, 447
 extra information, 447
 indications, 447
 pairs well with, 447
 part of plant used, 447
 primary actions, 447
 summary, chart, 478
 used to treat
 cancer, 125
- Blue Cohosh (*Caulophyllum*
thalicroides)**
 caution/contraindication,
 413
 closest substitute, 414
 constituents, 413
 dose, infusion or
 decoction, 413
 dose, tincture, 413
 extra information, 413
 indications, 413
 pairs well with, 414
 part of plant used, 413
 primary actions, 413
 summary, chart, 467
 used to treat
 constipation, 28
 during labor, 351
 female hormone
 patterns, excess, 165,
 166
 gallstones, 38
 libido, lowered, 183, 184
- Blue Flag (*Iris versicolor*)**
 caution/contraindication,
 429
 closest substitute, 429
- constituents, 429
 dose, infusion or
 decoction, 429
 extra information, 429
 indications, 429
 pairs well with, 429
 part of plant used, 429
 primary actions, 429
 summary, chart, 472
 used to treat
 acne, 265, 266
 automimmune
 conditions, 120
 female hormone
 patterns, excess, 164
 hypothyroid conditions,
 204, 205
 infections, recurrent, 74
 libido, lowered, 183, 184
 Lyme and co-infections,
 103
 Myalgic
 Encephalomyelitis, 82
 obesity, 218
 psoriasis, 276
- BMI. Body Mass Index.**
- Bogbean (*Menyanthes trifoliata*)**
 caution/contraindication,
 435
 closest substitute, 436
 constituents, 435
 dose, infusion or
 decoction, 436
 dose, tincture, 436
 extra information, 436
 indications, 435
 pairs well with, 436
 part of plant used, 436
 primary actions, 435
 summary, chart, 475
- Boils, What About,** 269
- Boldo (*Peumus boldo*)**
 caution/contraindication,
 439
 closest substitute, 439
 constituents, 439
 dose, infusion or
 decoction, 439
 dose, tincture, 439
 extra information, 439
 indications, 439
 pairs well with, 439
 part of plant used, 439
 primary actions, 439
 summary, chart, 476
 used to treat
 gallstones, 38, 39

- Boneset (*Eupatorium perfoliatum*)
 caution/contraindication, 421
 closest substitute, 422
 constituents, 421
 dose, infusion or decoction, 421
 dose, tincture, 421
 extra information, 421
 indications, 421
 pairs well with, 422
 part of plant used, 421
 primary actions, 421
 summary, chart, 470
 used to treat
 colds and flus, acute, 63, 64
- Borage (*Borago officinalis*)
 caution/contraindication, 411
 closest substitute, 411
 constituents, 410
 dose, infusion or decoction, 411
 dose, tincture, 411
 extra information, 411
 indications, 411
 pairs well with, 411
 part of plant used, 411
 primary actions, 410
 summary, chart, 466
 used to treat
 depression, 309
- BPH. Benign Prostatic Hyperplasia.
- Brahmi (*Bacopa monnieri*)
 caution/contraindication, 409
 closest substitute, 409
 constituents, 409
 dose, infusion or decoction, 409
 dose, tincture, 409
 extra information, 409
 indications, 409
 pairs well with, 409
 part of plant used, 409
 primary actions, 409
 summary, chart, 466
 used to treat
 cognitive decline in elderly, 367
 insomnia, 316
- Buchu (*Agathosma betulina*)
 caution/contraindication, 404
 closest substitute, 404
 constituents, 404
 dose, infusion or decoction, 404
 dose, tincture, 404
 extra information, 404
 indications, 404
 pairs well with, 404
 part of plant used, 404
 primary actions, 404
 summary, chart, 464
- Buckthorn (*Rhamnus frangula*)
 summary, chart, 477
- Bugleweed (*Lycopus virginicus*)
 caution/contraindication, 433
 closest substitute, 433
 constituents, 433
 dose, infusion or decoction, 433
 dose, tincture, 433
 extra information, 433
 indications, 433
 pairs well with, 433
 part of plant used, 433
 primary actions, 433
 summary, chart, 474
- Bupleurum (*Bupleurum sinensis*)
 caution/contraindication, 411
 closest substitute, 411
 constituents, 411
 dose, infusion or decoction, 411
 dose, tincture, 411
 extra information, 411
 indications, 411
 pairs well with, 411
 part of plant used, 411
 primary actions, 411
 summary, chart, 466
 used to treat
 acne, 265, 266
 allergies, seasonal and situational, 87
 automimmune conditions, 120, 121
 chronic bronchitis, 51, 52, 54
 eczema, 271
 gout, 150, 151
 headaches and migraines, 335
 hemorrhoids and varicose veins, 239
 Hepatitis B and C, 97, 99
 hypothyroid conditions, 204
 obesity, 218, 219
 pain management, 325
 pain management (inflammatory), 327
 psoriasis, 276, 278
 rheumatoid arthritis, 293, 294
- Burdock Root (*Arctium lappa*)
 caution/contraindication, 407
 closest substitute, 407
 constituents, 407
 dose, infusion or decoction, 407
 dose, tincture, 407
 extra information, 407
 indications, 407
 pairs well with, 407
 part of plant used, 407
 primary actions, 407
 summary, chart, 465
 used to treat
 acne, 265, 266
 attention challenges in children, 363
 constipation, 28, 29
 eczema, 271, 272
 female hormone patterns, deficient, 174, 175
 female hormone patterns, excess, 164
 hemorrhoids and varicose veins, 239, 241
 hypothyroid conditions, 204, 205
 Irritable Bowel Syndrome (IBS), 11
 libido, lowered, 183, 184
 nausea, 32
 obesity, 218, 219
 psoriasis, 276, 277
 rheumatoid arthritis, 293
 Type II Diabetes, 211, 212
 vaginal yeast infections, recurrent, 147
- Butterbur (*Petasites hybridus*)
 caution/contraindication, 439
 closest substitute, 439
 constituents, 439
 dose, infusion or decoction, 439
 dose, tincture, 439
 extra information, 439
 indications, 439



- pairs well with, 439
part of plant used, 439
primary actions, 439
summary, chart, 476
used to treat
 allergies, seasonal and situational, 87, 88
 headaches and migraines, 336, 337
- Calendula (*Calendula officinalis*)
 Crohn's and Ulcerative Colitis, 15
 diarrhea, 35
 Irritable Bowel Syndrome (IBS), 11
 topical lesions (topical use), 250
- California Poppy (*Eschscholzia californica*)
 caution/contraindication, 421
 closest substitute, 421
 constituents, 421
 dose, infusion or decoction, 421
 dose, tincture, 421
 extra information, 421
 indications, 421
 pairs well with, 421
 part of plant used, 421
 primary actions, 421
 summary, chart, 470
 used to treat
 anxiety, 301
 gallstones, 38, 40
 insomnia, 316
 kidney stones, 155
 pain management (symptomatic relief), 329
- Cancer, 122-130
 black salve and skin cancer, 129-130
 cautions and interactions, 129
 cordyceps, what about?, 128-129
 description, 122-123
 desired botanical actions, 124-128
 dosage, 125-126
 etiologies, 123
 herb selection and formula, 125
 alternative, 129
 measurable outcomes, 124
 other therapies, 129
- typical case presentation, 123
- Cannabis (*Cannabis indica*)
 caution/contraindication, 412
 closest substitute, 412
 constituents, 412
 dose, infusion or decoction, 412
 dose, tincture, 412
 extra information, 412
 indications, 412
 pairs well with, 412
 part of plant used, 412
 primary actions, 412
 summary, chart, 467
 used to treat
 anxiety, 301
 depression, 309
 headaches and migraines, 336
 kidney stones, 155, 156-157
 Myalgic Encephalomyelitis, 84
 osteoarthritis, 285
 pain management (symptomatic relief), 329
- Cannabis for Chronic Pain, 288-289, 304
- Can Stones (Kidney) Be Dissolved?, 157
- Cardamom (*Elettaria cardamomum*)
 nausea, 32
- Cardiotonic Botanical Action
 characteristic examples, 374
 definition, 374
 other herbs to consider, 374
 systems and activities, 374
 used to treat, 374
 chronic bronchitis, 51
 cognitive decline in elderly, 366
 congestive heart failure, 232
 emphysema, 55, 56
 gout, 149
 hypertension, atherosclerosis, cardiovascular disease, 226
 obesity, 216, 217
 osteoarthritis, 284
 pain management, 323
- Cardiovascular Activity. *See* Physical Activity.
- Cardiovascular Disease.
 See Hypertension, Atherosclerosis, Cardiovascular Disease.
- Cardiovascular System, 223-243
 dichotomous outcome, 223
 physiological adaptations, 224
 hypertension, atherosclerosis, cardiovascular disease, 224-230
 congestive heart failure, 231-236
 hemorrhoids and varicose veins, 236-243
- Carminative Botanical Action
 characteristic examples, 374
 definition, 374
 other herbs to consider, 374
 systems and activities, 374
 used to treat, 374
 anxiety, 300
 constipation, 27, 28
 Crohn's and Ulcerative Colitis, 15
 female hormone patterns, deficient, 173, 174
 gallstones, 37, 38
 Gastroesophageal Reflux Disorder (GERD), 21
 hemorrhoids and varicose veins, 238, 239
 infections, recurrent, 72, 73
 Irritable Bowel Syndrome (IBS), 10
 nausea, 32
- Cascara (*Rhamnus purshiana*)
 caution/contraindication, 444
 closest substitute, 444
 constituents, 443
 dose, infusion or decoction, 444
 dose, tincture, 444
 extra information, 444
 indications, 443
 pairs well with, 444
 part of plant used, 444
 primary actions, 443
 summary, chart, 477
 used to treat
 Clostridium difficile infections, 109
 constipation, 28

- Castor Oil (*Ricinus communis*)
 atopic presentations in children, 355
 inducing for labor, 350
Clostridium difficile infections, 109
 summary, chart, 477
- Catepillar Fungus. *See* Cordyceps.
- Cathartic Botanical Action
 characteristic examples, 374
 definition, 374
 other herbs to consider, 374
 systems and activities, 374
 used to treat, 374
Clostridium difficile infections, 108
- Catnip (*Nepeta cataria*)
 caution/contraindication, 436
 closest substitute, 437
 constituents, 436
 dose, infusion or decoction, 437
 dose, tincture, 436
 extra information, 436
 indications, 436
 pairs well with, 437
 part of plant used, 436
 primary actions, 436
 summary, chart, 475
 used to treat
 atopic presentations in children, 355
 attention challenges in children, 363, 364
 headaches and migraines, 336
- Cat's Claw (*Uncaria tomentosa*)
 caution/contraindication, 456
 closest substitute, 456
 constituents, 456
 dose, infusion or decoction, 456
 dose, tincture, 456
 extra information, 456
 indications, 456
 pairs well with, 456
 part of plant used, 456
 primary actions, 456
 used to treat
 automimmune conditions, 120
 Lyme and co-infections, 104, 105
 Myalgic Encephalomyelitis, 82
 osteoarthritis, 285
 pain management, 325
 rheumatoid arthritis, 293
 vaginal yeast infections, recurrent, 144
- Cayenne (*Capsicum annua* or *Capsicum frutescens*)
 caution/contraindication, 413
 closest substitute, 413
 constituents, 413
 dose, infusion or decoction, 413
 dose, tincture, 413
 extra information, 413
 indications, 413
 pairs well with, 413
 part of plant used, 413
 primary actions, 413
 summary, chart, 467
 used to treat
 cognitive decline in elderly, 367
 congestive heart failure, 233
 headaches and migraines, 336
 hemorrhoids and varicose veins, 240, 241
 hypertension, atherosclerosis, cardiovascular disease, 227
 infections, recurrent, 74, 76
 libido, lowered, 187
 osteoarthritis, 285, 286
 pain management, 325
 rheumatoid arthritis, 293
 topical lesions (internal use), 248
- CBT. Cognitive Behavioral Therapy.
- Cedar (*Thuja occidentalis*)
 chronic sinusitis, 68
Clostridium difficile infections, 109
 Hepatitis B and C, 97
 Lyme and co-infections, 104
 Myalgic Encephalomyelitis, 82
 topical infections, change in local terrain, 255, 256
 topical infections, exceeds system's defences, 260
 topical infections, immune system breakdown, 253
 summary, chart, 480
- Celandine (*Chelidonium majus*)
 acne, 265
 hemorrhoids and varicose veins, 239, 241
- Celery Seed (*Apium graveolens*)
 caution/contraindication, 406
 closest substitute, 407
 constituents, 406
 dose, infusion or decoction, 407
 dose, tincture, 407
 extra information, 407
 indications, 406
 pairs well with, 407
 part of plant used, 407
 primary actions, 406
 summary, chart, 465
 used to treat
 female hormone patterns, excess, 165
 libido, lowered, 183, 184
- Chaga (*Inonotus obliquus*)
 caution/contraindication, 429
 closest substitute, 429
 constituents, 428
 dose, infusion or decoction, 429
 dose, tincture, 429
 extra information, 429
 indications, 428
 pairs well with, 429
 part of plant used, 429
 primary actions, 428
 used to treat
 asthma, 47
 cancer, 125, 126-127
 convalescence, 115
 Crohn's and Ulcerative Colitis, 15
 eczema, 271, 272
 immunocompromise, conditions of, 92, 94
 infections, recurrent, 74
 Lyme and co-infections, 103
 Myalgic Encephalomyelitis, 82, 83
 pain management, 325
 pain management (fibromyalgia), 326-327
 urinary tract infection, 136
- Chamomile (*Matricaria recutita*)
 caution/contraindication, 434



- closest substitute, 434
 constituents, 434
 dose, infusion or decoction, 434
 dose, tincture, 434
 extra information, 434
 indications, 434
 pairs well with, 434
 part of plant used, 434
 primary actions, 434
 summary, chart, 474
 used to treat
 - atopic presentations in children, 355
 - attention challenges in children, 363
 - Crohn's and Ulcerative Colitis, 15
 - diarrhea, 35
 - insomnia, 316, 317
 - Irritable Bowel Syndrome (IBS), 11
 - mastitis, 353
 - psoriasis, 277
 - topical lesions (topical use), 248, 249
 - vaginal yeast infections, recurrent, 144
- CHF. Congestive Heart Failure.
- Chaparral (*Larrea tridentata*)
 caution/contraindication, 430
 closest substitute, 430
 constituents, 430
 dose, infusion or decoction, 430
 dose, tincture, 430
 extra information, 430
 indications, 430
 pairs well with, 430
 part of plant used, 430
 primary actions, 430
 summary, chart, 473
 used to treat
 - Hepatitis B and C, 97
- Chasteberry (*Vitex agnus-castus*)
 caution/contraindication, 460
 closest substitute, 460
 constituents, 460
 dose, infusion or decoction, 460
 dose, tincture, 460
 extra information, 460
 indications, 460
 pairs well with, 460
- part of plant used, 460
 primary actions, 460
 summary, chart, 483
 used to treat
 - female hormone patterns, deficient, 175
 - female hormone patterns, excess, 165, 166, 169
 - libido, lowered, 183, 184
 - vaginal yeast infections, recurrent, 144
- Chia Seed (*Salvia hispanica*)
Clostridium difficile
 infections, 109
 constipation, 28
 GERD during pregnancy, 350
 Hepatitis B and C, 99
- Chickweed (*Stellaria media*)
 caution/contraindication, 450
 closest substitute, 450
 constituents, 450
 dose, infusion or decoction, 450
 dose, tincture, 450
 extra information, 450
 indications, 450
 pairs well with, 450
 part of plant used, 450
 primary actions, 450
 used to treat
 - mastitis, 353
 - topical lesions (topical use), 248
- Chinese Foxglove (*Rehmannia glutinosa*)
 anxiety, 301
 insomnia, 316
- Chocolate (*Theobroma cacao*)
 caution/contraindication, 452
 closest substitute, 453
 constituents, 452
 dose, infusion or decoction, 453
 dose, tincture, 452
 extra information, 452
 indications, 452
 pairs well with, 453
 part of plant used, 452
 primary actions, 452
 summary, chart, 480
 used to treat
 - asthma, 46, 48
 - congestive heart failure, 233
 - depression, 309
 - libido, lowered, 188
- Cholagogue Botanical Action
 characteristic examples, 374
 definition, 374
 other herbs to consider, 374
 systems and activities, 374
 used to treat, 374
 - gallstones, 37
- Chronic Bronchitis, 49-55
 advanced harm reduction, 57
 cautions and interactions, 54
 description, 50
 desired botanical actions, 51-52
 dosage, 52-53
 etiologies, 50
 herb selection and formula, 52
 - alternative, 54
 measurable outcomes, 50
 other therapies, 54-55
 typical case presentation, 50-51
- Chronic Fatigue Syndrom. *See* Myalgic Encephalomyelitis and Immune System.
- Chronic Obstructive Pulmonary Disease (COPD). *See* Chronic Bronchitis and Emphysema.
- Chronic Pain, 288
- Chronic Sinusitis, 66-70
 cautions and interactions, 70
 description, 66
 desired botanical actions, 67-68
 dosage, 68-69
 etiologies, 66-67
 herb selection and formula, 68
 - alternative, 69-70
 measurable outcomes, 67
 other therapies, 70
 typical case presentation, 67
- Chrysanthemum (*Chrysanthemum morifolium*)
 diarrhea, 35
 psoriasis, 276
 rheumatoid arthritis, 293
- Cinnamon (*Cinnamomum* spp.)
 caution/contraindication, 415
 closest substitute, 415
 constituents, 415

- dose, infusion or decoction, 415
 dose, tincture, 415
 extra information, 415
 indications, 415
 pairs well with, 415
 part of plant used, 415
 primary actions, 415
 summary, chart, 468
 used to treat
 Benign Prostatic Hyperplasia, 197
 female hormone patterns, excess, 165
 infections, recurrent, 74
 Irritable Bowel Syndrome (IBS), 11
 libido, lowered, 183, 184, 187
 Type II Diabetes, 211, 212
- Circulatory Stimulant
 Botanical Action
 used to treat
 topical infections, change in local terrain, 255
 topical infections, immune system breakdown, 252
- Circulatory Tonic Botanical Action
 characteristic examples, 375
 definition, 375
 other herbs to consider, 375
 systems and activities, 375
 used to treat, 375
 Benign Prostatic Hyperplasia, 193, 194
 cognitive decline in elderly, 366
 congestive heart failure, 232
 gout, 149
 hypertension, atherosclerosis, cardiovascular disease, 226
 infections, recurrent, 72
 libido, lowered, 182, 183
 obesity, 216, 217
 osteoarthritis, 284
 pain management, 323
 topical lesions, 247
 Type II Diabetes, 209, 210
- Clark's Rule. *See* Dosing for Children.
- Cleavers (*Galium aparine*)
 caution/contraindication, 423
 closest substitute, 423
 constituents, 423
 dose, infusion or decoction, 423
 dose, tincture, 423
 extra information, 423
 indications, 423
 pairs well with, 423
 part of plant used, 423
 primary actions, 423
 summary, chart, 470
 used to treat
 acne, 265, 267
 Benign Prostatic Hyperplasia, 195
 cancer, 125
 colds and flus, acute, 63
 chronic sinusitis, 68
 infections, recurrent, 74, 75, 76
 Lyme and co-infections, 103
 obesity, 218
 urinary tract infection, 136
- Clostridium Difficile* Infections, 107-112
 cautions and interactions, 111
 C. difficile, 107
 demulcents and mucilages, 112
 description, 107
 desired botanical actions, 108-110
 dosage, 109-110
 alternative, 111
 etiologies, 107
 herb selection and formula, 109
 alternative, 110-111
 measurable outcomes, 108
 other therapies, 111
 typical case presentation, 107
- Clove (*Syzygium aromaticum*)
 caution/contraindication, 451
 closest substitute, 451
 constituents, 451
 dose, infusion or decoction, 451
 dose, tincture, 451
 extra information, 451
 indications, 451
- pairs well with, 451
 part of plant used, 451
 primary actions, 451
 summary, chart, 479
 used to treat
 chronic sinusitis, 68, 69
 Clostridium difficile infections, 109, 110
 colds and flus, acute, 62, 63, 64, 65
 Hepatitis B and C, 97, 99
 Lyme and co-infections, 103
 Myalgic Encephalomyelitis, 82
 topical infections, change in local terrain, 255, 256
 topical infections, immune system breakdown, 253
- CMV. Cytomegalovirus.
 Codonopsis (*Condonopsis pilosula*)
 asthma, 46
 cancer, 125, 127
Clostridium difficile infections, 109
 convalescence, 114
 eczema, 271
 female hormone patterns, deficient, 174, 175
 Hepatitis B and C, 98, 99
 immunocompromise, conditions of, 92, 94
 infections, recurrent, 74, 75, 76
 Irritable Bowel Syndrome (IBS), 11
 nausea, 32
- Coenzyme Q10, 89, 331
 Coffee (*Coffea arabica*)
 asthma, 46
 Benign Prostatic Hyperplasia, 195
 chronic sinusitis, 68
 congestive heart failure, 233
 depression, 309
 summary, chart, 468
- Cognitive Behavioral Therapy (CBT), 304, 322
 Cognitive Decline in Elderly, 365-369
 cautions and interactions, 368
 dementia, 365
 description, 365



- desired botanical actions, 366-368
- dosage, 367
- etiologies, 365-366
- herb selection and formula, 367
- alternative, 368
- measurable outcomes, 366
- other therapies, 368-369
- cognitive therapy, 365
- prevention of falls, 365
- physical activity, 368-369
- social interaction, 368-369
- typical case presentation, 366
- Colchicum Autumnale, What About?**, 152
- Colds and Flus, Acute**, 60-66
- antibiotics, a note on, 60-61
- antimicrobials in the kitchen, 61
- cautions and interactions, 65
- description, 60
- desired botanical actions, 61-63
- dosage, 63
- etiologies, 61
- herb selection and formula, 63-64
- alternative, 64
- measurable outcomes, 61
- other therapies, 65
- typical case presentation, 61
- warming sock treatment, 66
- Colds and Flus in Children**, 357-361
- cautions and interactions, 360
- description, 357
- desired botanical actions, 358-360
- dosage, 359
- etiologies, 357
- glycerin extractions, 359
- herb selection and formula, 359
- measurable outcomes, 357
- other therapies, 360-361
- symptomatic tips for children, 361
- typical case presentation, 357
- Coleus (*Coleus forskholii*)**
- caution/contraindication, 416
- closest substitute, 416
- constituents, 416
- dose, infusion or decoction, 416
- dose, tincture, 416
- extra information, 416
- indications, 416
- pairs well with, 416
- part of plant used, 416
- primary actions, 416
- summary, chart, 468
- used to treat
- asthma, 46, 47-48
- chronic bronchitis, 51, 52
- emphysema, 56, 57
- Coltsfoot (*Tussilago farfara*)**
- caution/contraindication, 455
- closest substitute, 455
- constituents, 455
- dose, infusion or decoction, 455
- dose, tincture, 455
- extra information, 455
- indications, 455
- pairs well with, 455
- part of plant used, 455
- primary actions, 455
- summary, chart, 481
- used to treat
- asthma, 46, 48
- chronic bronchitis, 51, 52
- emphysema, 56
- Comfrey (*Symphytum officinalis*)**
- caution/contraindication, 450
- closest substitute, 451
- constituents, 450
- dose, infusion or decoction, 450
- dose, tincture, 450
- extra information, 450
- indications, 450
- pairs well with, 451
- part of plant used, 450
- primary actions, 450
- summary, chart, 479
- used to treat
- atopic presentations in children, 355
- Crohn's and Ulcerative Colitis, 15, 17, 18
- diarrhea, 35
- hemorrhoids and varicose veins, 240, 242
- mastitis, 353
- perineal healing, 351
- psoriasis, 277
- topical infections, immune system breakdown, 253
- topical lesions (topical use), 248, 249
- urinary tract infection, 136
- Common Airborne Allergens by Season**, 86
- Condurango (*Marsdenia reichenbachii*)**
- caution/contraindication, 433
- closest substitute, 434
- constituents, 433
- dose, infusion or decoction, 434
- dose, tincture, 434
- extra information, 434
- indications, 433
- pairs well with, 434
- part of plant used, 434
- primary actions, 433
- summary, chart, 474
- Congestive Heart Failure**, 231-236
- cautions and interactions, 236-237
- description, 231
- desired botanical actions, 231-235
- dosage, 234
- etiologies, 231
- herb selection and formula, 234
- alternative, 235
- measurable outcomes, 231
- other therapies, 236
- typical case presentation, 231
- Connective Tissue, Healing**, 289
- Constipation**, 25-31. *See also* Atopic Presentations in Children.
- cautions and interactions, 30
- description, 25
- desired botanical actions, 27-28
- dosage, 29
- etiologies, 26-27
- herb selection and formula, 28
- alternative, 29
- measurable outcomes, 27
- other therapies, 30
- typical case presentation, 27

- Constipation in Children. *See* Atopic Presentations in Children.
- Contrast Hydrotherapy, 49, 65, 77, 117, 122, 230, 236, 243, 268, 288, 295, 331, 338, 360
- Convalescence, 112-117
 cautions and interactions, 117
 description, 112
 desired botanical actions, 114-116
 dosage, 115
 etiologies, 113
 herb selection and formula, 115
 alternative, 116-117
 measurable outcomes, 114
 other therapies, 117
 typical case presentations, 113
- COPD. Chronic Obstructive Pulmonary Disease.
- Cordyceps (*Cordyceps sinensis*)
 caution/contraindication, 417
 closest substitute, 417
 constituents, 417
 dose, infusion or decoction, 417
 dose, tincture, 417
 extra information, 417
 indications, 417
 pairs well with, 417
 part of plant used, 417
 primary actions, 417
 summary, chart, 468
 used to treat
 asthma, 47
 automimmune conditions, 120
 cancer, 125
 immunocompromise, conditions of, 92
 pain management, 325
- Cordyceps, What About?, 128-129
- Cornsilk (*Zea mays*)
 caution/contraindication, 461
 closest substitute, 461
 constituents, 461
 dose, infusion or decoction, 461
 dose, tincture, 461
 extra information, 461
 indications, 461
 pairs well with, 461
 part of plant used, 461
 primary actions, 461
 summary, chart, 484
 used to treat
 Crohn's and Ulcerative Colitis, 15
 kidney stones, 155, 156
 urinary tract infection, 136, 137-138, 140
- Couch Grass (*Agropyron repens*)
 caution/contraindication, 420
 closest substitute, 420
 constituents, 420
 dose, infusion or decoction, 420
 dose, tincture, 420
 extra information, 420
 indications, 420
 pairs well with, 420
 part of plant used, 420
 primary actions, 420
 used to treat
 urinary tract infection, 136, 140
- Counseling, 54
- Cowling's Rule. *See* Dosing for Children.
- Cramp Bark (*Viburnum opulus*)
 caution/contraindication, 459
 closest substitute, 459
 constituents, 459
 dose, infusion or decoction, 459
 dose, tincture, 459
 extra information, 459
 indications, 459
 pairs well with, 459
 part of plant used, 459
 primary actions, 459
 summary, chart, 483
 used to treat
 headaches and migraines, 336
 female hormone patterns, excess, 165, 167
 kidney stones, 155
 libido, lowered, 184
- Cranberry Juice (*Vaccinium macrocarpan succus*)
 caution/contraindication, 457
 closest substitute, 458
 constituents, 457
 dose, infusion or decoction, 457
 dose, tincture, 457
 extra information, 457
 indications, 457
 pairs well with, 458
 part of plant used, 457
 primary actions, 457
 summary, chart, 482
 used to treat
 urinary tract infections, 133, 136, 139
- Cranesbill (*Geranium caculatum*)
 caution/contraindication, 424
 closest substitute, 424
 constituents, 424
 dose, infusion or decoction, 424
 dose, tincture, 424
 extra information, 424
 indications, 424
 pairs well with, 424
 part of plant used, 424
 primary actions, 424
 summary, chart, 471
 used to treat
 Crohn's and Ulcerative Colitis, 15, 17
 diarrhea, 35
 Irritable Bowel Syndrome (IBS), 11
 vaginal yeast infections, recurrent, 144
- Creeping Wintergreen (*Gaultheria procumbens*)
 headaches and migraines, 336
 pain management, 325
- Creosote Bush. *See* Chaparral.
- Crohn's, 14-19. *See also* Ulcerative Colitis.
 cautions and interactions, 18-19
 description, 14
 desired botanical actions, 15-16
 dosage, 17
 etiologies, 14
 herb selection and formula, 17-19
 alternative, 18
 measurable outcomes, 15
 other therapies, 19
 typical case presentation, 14-15



- Cystitis. *See* Urinary Tract Infections (UTIs).
- Damiana (*Turnera diffusa*)
 caution/contraindication, 455
 closest substitute, 455
 constituents, 455
 dose, infusion or decoction, 455
 dose, tincture, 455
 extra information, 455
 indications, 455
 pairs well with, 455
 part of plant used, 455
 primary actions, 455
 summary, chart, 481
 used to treat
 female hormone patterns, deficient, 175, 176
 libido, lowered, 186, 188
- Dandelion Leaf (*Taraxacum officinalis folia*)
 caution/contraindication, 452
 closest substitute, 452
 constituents, 452
 dose, infusion or decoction, 452
 dose, tincture, 452
 extra information, 452
 indications, 452
 pairs well with, 452
 part of plant used, 452
 primary actions, 452
 summary, chart, 480
 used to treat
 congestive heart failure, 233
 hemorrhoids and varicose veins, 239
 hypertension, atherosclerosis, cardiovascular disease, 227
 Type II Diabetes, 211
- Dandelion Root (*Taraxacum officinalis*)
 caution/contraindication, 452
 closest substitute, 452
 constituents, 452
 dose, infusion or decoction, 452
 dose, tincture, 452
 extra information, 452
 indications, 452
- pairs well with, 452
 part of plant used, 452
 primary actions, 452
 summary, chart, 480
 used to treat
 acne, 265, 266
 attention challenges in children, 363
 constipation, 28
 gout, 150
 Irritable Bowel Syndrome (IBS), 11
 kidney stones, 155
 obesity, 218
 osteoarthritis, 285
 pain management, 325
 psoriasis, 276
 rheumatoid arthritis, 293, 294
 urinary tract infection, 136
- Dang Shen (*Codonopsis pilosula*)
 caution/contraindication, 415
 closest substitute, 416
 constituents, 415
 dose, infusion or decoction, 416
 dose, tincture, 416
 extra information, 415
 indications, 415
 pairs well with, 416
 part of plant used, 415
 primary actions, 415
 summary, chart, 468
 used to treat
 insomnia, 316
- Decongestant Botanical Action
 characteristic examples, 375
 definition, 375
 other herbs to consider, 375
 systems and activities, 375
 used to treat, 375
 allergies, seasonal and situational, 86, 87
 chronic bronchitis, 51
 chronic sinusitis, 67
 colds and flus, acute, 61, 62
 colds and flus in children, 358
 congestive heart failure, 232
 diarrhea, 34
- Deglycyrrhizinated Licorice (*Glycyrrhiza glabra*)
 GERD, during pregnancy, 350
- Delivery, 350-351
 stimulating, 350
 dosage, 351
 herb selection and formula, 350
 supporting, 350
 dosage, 351
 herb selection and formula, 351
- Dementia. *See* Cognitive Decline in Elderly.
- Demulcent Botanical Action
 characteristic examples, 375
 definition, 375
 other herbs to consider, 375
 systems and activities, 375
 used to treat, 375
 allergies, seasonal and situational, 86, 87
 asthma, 45
 atopic presentations in children, 354
 chronic bronchitis, 51
 Clostridium difficile infections, 108
 colds and flus, acute, 61, 62
 colds and flus in children, 358
 constipation, 27, 28
 Crohn's and Ulcerative Colitis, 15-16
 diarrhea, 34
 emphysema, 55
 female hormone patterns, deficient, 173, 174
 Gastroesophageal Reflux Disorder (GERD), 21, 22
 during pregnancy, 350
 Irritable Bowel Syndrome (IBS), 10
 kidney stones, 154
 psoriasis, 275
 urinary tract infection, 135
- Demulcents and Mucilages, 112
- Depression, 305-312
 cautions and interactions, 311
 contrast to sadness/grief/loss, 306
 description, 305

- desired botanical actions, 308-310
 dosage, 309
 etiologies, 305-307
 herb selection and formula, 309
 alternative, 310
 measurable outcomes, 308
 other therapies, 311
 typical case presentation, 307
- Desired Botanical Actions. *See* specific actions.
- Devil's Claw (*Harpagophytum procumbens*)
 caution/contraindication, 426
 closest substitute, 426
 constituents, 426
 dose, infusion or decoction, 426
 dose, tincture, 426
 extra information, 426
 indications, 426
 pairs well with, 426
 part of plant used, 426
 primary actions, 426
 summary, chart, 472
 used to treat
 automimmune conditions, 120
 gout, 150
 Lyme and co-infections, 106
 osteoarthritis, 285
 pain management, 325
 pain management (inflammatory), 328
 rheumatoid arthritis, 293, 294
- Devil's Club (*Oplopanax horridus*)
 caution/contraindication, 437
 closest substitute, 437
 constituents, 437
 dose, infusion or decoction, 437
 dose, tincture, 437
 extra information, 437
 indications, 437
 pairs well with, 437
 part of plant used, 437
 primary actions, 437
 summary, chart, 475
- Devil's Trumpet (*Datura stramonium*)
 summary, chart, 469
- DHT. Dihydrotestosterone.
- Diaphoretic Botanical Action
 characteristic examples, 375
 definition, 375
 other herbs to consider, 375
 systems and activities, 375
 used to treat, 375
 colds and flus, acute, 61, 62
 colds and flus in children, 358
 infections, recurrent, 72
- Diarrhea, 33-36
 cautions and interactions, 36
 description, 33
 desired botanical actions, 34-35
 dosage, 35
 etiologies, 33-34
 herb selection and formula, 35
 measurable outcomes, 34
 other therapies, 36
 typical case presentation, 34
- Dietary Changes, 70, 170, 198, 221, 230, 296
- Digestive Botanical Action
 used to treat
 atopic presentations in children, 354
- Digestive System, 7-42
 absorption, 7
 constipation, 25-31
 Crohn's, 14-19. *See also* Ulcerative Colitis.
 diarrhea, 33-36
 elimination, 7
 food sensitivities, 8
 foundation for wellness, 7
 gallstones, 36-42
 Gastroesophageal Reflux Disorder (GERD), 19-25
 Irritable Bowel Syndrome (IBS), 8-13
 nausea, 31-33
 sympathetic nervous system, 8
 Ulcerative Colitis, 14-19
- Diuretic Botanical Action
 characteristic examples, 375
 definition, 375
 other herbs to consider, 375
 systems and activities, 375
- used to treat, 375
 Benign Prostatic Hyperplasia, 193, 194
 congestive heart failure, 232, 233
 female hormone patterns, deficient, 173
 female hormone patterns, excess, 163
 gout, 149
 hypertension, atherosclerosis, cardiovascular disease, 226, 226-227
 kidney stones, 154-155
 rheumatoid arthritis, 291, 292
 urinary tract infection, 135, 135-136
- Diuretics, 135, 157
- Diuretics, Understanding, 140
- Dong Quai*. *See* Angelica.
- Dosing, 3-6. *See also* Formulating.
 for children, 355
 potency, 6
 sourcing, 6
- Drying Botanical Action
 used to treat
 topical infections, change in local terrain, 255
- EBV. Epstein-Barr Virus.
- Echinacea (*Echinacea angustifolia*)
 caution/contraindication, 419
 closest substitute, 420
 constituents, 419
 dose, infusion or decoction, 419
 dose, tincture, 419
 extra information, 419
 indications, 419
 pairs well with, 420
 part of plant used, 419
 primary actions, 419
 summary, chart, 469
 used to treat
 allergies, seasonal and situational, 87
 automimmune conditions, 120
 cancer, 125, 127
 chronic sinusitis, 68, 69
 Clostridium difficile infections, 109



- colds and flus, acute, 62, 64
- colds and flus in children, 358, 359, 360
- depression, 309
- Hepatitis B and C, 97
- immunocompromise, conditions of, 92
- infections, recurrent, 74, 75, 76
- Lyme and co-infections, 103, 104, 105
- Myalgic Encephalomyelitis, 82
- pain management, 325
- topical infections, exceeds system's defences, 260, 261
- urinary tract infection, 136, 139
- vaginal yeast infections, recurrent, 144
- Eczema, 269-273. *See also* Atopic Presentations in Children.
- cautions and interactions, 273
- description, 269
- desired botanical actions, 270-273
- dosage, 272
- etiologies, 269-270
- herb selection and formula, 271
- alternative, 273
- measurable outcomes, 270
- other therapies, 274
- typical case presentation, 270
- Elderberry (*Sambucus nigra fructus*)
- caution/contraindication, 447
- closest substitute, 447
- constituents, 447
- dose, infusion or decoction, 447
- dose, tincture, 447
- extra information, 447
- indications, 447
- pairs well with, 447
- part of plant used, 447
- primary actions, 446
- summary, chart, 478
- used to treat
- colds and flus, acute, 63
 - colds and flus in children, 358, 359, 359-360
- Elderflower (*Sambucus nigra flora*)
- caution/contraindication, 446
- closest substitute, 446
- constituents, 446
- dose, infusion or decoction, 446
- dose, tincture, 446
- extra information, 446
- indications, 446
- pairs well with, 446
- part of plant used, 446
- primary actions, 446
- summary, chart, 478
- used to treat
- colds and flus, acute, 62, 63, 64
 - colds and flus in children, 358, 359, 360
- Elecampane (*Inula helenium*)
- caution/contraindication, 429
- closest substitute, 429
- constituents, 429
- dose, infusion or decoction, 429
- dose, tincture, 429
- extra information, 429
- indications, 429
- pairs well with, 429
- part of plant used, 429
- primary actions, 429
- summary, chart, 472
- used to treat
- chronic bronchitis, 52, 53
 - emphysema, 56
- Eleuthero (*Eleutherococcus senticosus*)
- caution/contraindication, 420
- closest substitute, 420
- constituents, 420
- dose, infusion or decoction, 420
- dose, tincture, 420
- extra information, 420
- indications, 420
- pairs well with, 420
- part of plant used, 420
- primary actions, 420
- used to treat
- cognitive decline in elderly, 367
 - convalescence, 116
 - female hormone patterns, deficient, 174, 175
 - libido, lowered, 185
- Elimination Diet, The, 49, 89, 152, 207, 243, 279, 338
- Emetic Botanical Action
- characteristic examples, 375
- definition, 375
- other herbs to consider, 375
- systems and activities, 375
- used to treat, 375
- Emmenagogue Botanical Action
- characteristic examples, 375
- definition, 375
- other herbs to consider, 375
- systems and activities, 375
- used to treat, 375
- female hormone patterns, excess, 163
- Emphysema, 55-57
- advanced harm reduction, 57
- cautions and interactions, 57
- description, 55
- desired botanical actions, 55-56
- dosage, 56
- herb selection and formula, 56
- Endocrine Modulator Botanical Action
- characteristic examples, 376
- definition, 376
- other herbs to consider, 376
- systems and activities, 376
- used to treat, 376
- acne, 264, 265
 - Benign Prostatic Hyperplasia, 193
 - female hormone patterns, deficient, 174
 - female hormone patterns, excess, 163, 164
 - hypothyroid conditions, 202, 203
 - libido, lowered, 182, 183
 - nursing, 352
 - obesity, 216, 217
 - Type II Diabetes, 209, 210
 - urinary tract infection, 135, 136
 - vaginal yeast infections, recurrent, 143
- Endocrine Regulator Botanical Action
- used to treat
- Hepatitis B and C, 96, 97

- Endocrine System, 159-221
 Benign Prostatic
 Hyperplasia, 191-199
 feedback loops, 159-160
 female hormone patterns,
 deficient, 170-179
 female hormone patterns,
 excess, 161-170
 homeostasis/homeo-
 dynamics, 159
 hormone metabolism, 160
 hormones, 159
 hypothyroid conditions,
 199-208
 libido, lowered, 179-191
 obesity, 214-221
 suppressants, 160
 target cells, 160
 Type II Diabetes, 208-214
- Endometriosis. *See* Female
 Hormone Patterns, Excess.
- English Plantain (*Plantago* spp.)
 caution/contraindication,
 441
 closest substitute, 441
 constituents, 441
 dose, infusion or
 decoction, 441
 dose, tincture, 441
 extra information, 441
 indications, 441
 pairs well with, 441
 part of plant used, 441
 primary actions, 441
 used to treat
 atopic presentations in
 children, 355
 mastitis, 353
- Environmental Change, 70
- Ephedra (*Ephedra sinica*)
 caution/contraindication,
 420
 closest substitute, 420
 constituents, 420
 dose, infusion or
 decoction, 420
 dose, tincture, 420
 extra information, 420
 indications, 420
 pairs well with, 420
 part of plant used, 420
 primary actions, 420
 used to treat
 allergies, seasonal and
 situational, 87, 88
 asthma, 46, 48
 chronic sinusitis, 68
 colds and flus, acute, 64
 chronic bronchitis, 51,
 52, 53
 emphysema, 56
- Eschariotic Botanical Action
 characteristic examples, 376
 definition, 376
 other herbs to consider, 376
 systems and activities, 376
 used to treat, 376
- Eucalyptus (*Eucalyptus
 globulus*)
 caution/contraindication,
 421
 closest substitute, 421
 constituents, 421
 dose, infusion or
 decoction, 421
 dose, tincture, 421
 extra information, 421
 indications, 421
 pairs well with, 421
 part of plant used, 421
 primary actions, 421
 summary, chart, 470
 used to treat
 headaches and
 migraines, 336
 mastitis, 353
 osteoarthritis, 285
 pain management, 325
 rheumatoid arthritis, 293
- Euphoric Botanical Action
 characteristic examples, 376
 definition, 376
 other herbs to consider, 376
 systems and activities, 376
 used to treat, 376
 anxiety, 300
 depression, 308
- Evening Primrose (*Oenothera
 blennis*)
 eczema, 273
- Expectorant Botanical Action,
 Relaxing
 characteristic examples, 376
 definition, 376
 other herbs to consider, 376
 systems and activities, 376
 used to treat, 376
 asthma, 45
- Expectorant Botanical Action,
 Stimulating
 characteristic examples, 376
 definition, 376
 other herbs to consider, 376
 systems and activities, 376
 used to treat, 376
 chronic bronchitis, 51
 colds and flus, acute,
 61, 62
 emphysema, 55
- Eyebright (*Euphrasia officinalis*)
 caution/contraindication,
 422
 closest substitute, 422
 constituents, 422
 dose, infusion or
 decoction, 422
 dose, tincture, 422
 extra information, 422
 indications, 422
 pairs well with, 422
 part of plant used, 422
 primary actions, 422
 summary, chart, 470
 used to treat
 allergies, seasonal and
 situational, 87, 89
- False Unicorn Root
 (*Chamaelirium luteum*)
 caution/contraindication,
 414
 closest substitute, 414
 constituents, 414
 dose, infusion or
 decoction, 414
 dose, tincture, 414
 extra information, 414
 indications, 414
 pairs well with, 414
 part of plant used, 414
 primary actions, 414
 summary, chart, 467
 used to treat
 female hormone
 patterns, deficient, 175
 female hormone
 patterns, excess, 165
 libido, lowered, 183, 184
- Female Hormone Patterns,
 Deficient, 170-179
 cautions and interactions,
 178
 description, 170-171
 congenital amenorrhea,
 170
 menopause, 171
 pathological
 amenorrhea, 170
 reactive/compensatory
 amenorrhea, 170
 desired botanical actions,
 173-177
 dosage, 175
 alternative, 178
 etiologies, 171-172



- herb selection and formula, 175
 alternative, 177-178
 measurable outcomes, 173
 other therapies, 178
 typical case presentation, 172-173
 vitex, 179
- Female Hormone Patterns, Excess, 161-170
 cautions and interactions, 169-170
 description, 161
 desired botanical actions, 163-169
 dosage, 165-166
 etiologies, 161-162
 herb selection and formula, 165
 alternative, 169
 measurable outcomes, 163
 other therapies, 170
 typical case presentation, 162
- Fennel Seed (*Foeniculum vulgare*)
 caution/contraindication, 422
 closest substitute, 423
 constituents, 422
 dose, infusion or decoction, 423
 dose, tincture, 423
 extra information, 422
 indications, 422
 pairs well with, 423
 part of plant used, 423
 primary actions, 422
 summary, chart, 470
 used to treat
 constipation, 28
 gallstones, 38, 40
 infections, recurrent, 74
 Irritable Bowel Syndrome (IBS), 11
 nursing, 352
- Fenugreek (*Trigonella foenum-graecum*)
 caution/contraindication, 455
 closest substitute, 455
 constituents, 455
 dose, infusion or decoction, 455
 dose, tincture, 455
 extra information, 455
 indications, 455
 pairs well with, 455
- part of plant used, 455
 primary actions, 454
 summary, chart, 481
 used to treat
 nursing, 352
- Fertility Challenges, 341-348
 cautions and interactions, 347
 description, 341-342
 desired botanical actions, 344-345, 345-347
 dosage, 345, 347
 emotional component, 341-342
 etiologies, 342-343
 genetic factors, 342
 lifestyle factors, 343
 herb selection and formula, 344, 347
 measurable outcomes, 344, 345
 men, what about the, 348
 other therapies, 348
 typical case presentation, 343-344, 345
- Fertility, What About the Men?, 348
- Feverfew (*Tanacetum parthenium*)
 caution/contraindication, 452
 closest substitute, 452
 constituents, 452
 dose, infusion or decoction, 452
 dose, tincture, 452
 extra information, 452
 indications, 452
 pairs well with, 452
 part of plant used, 452
 primary actions, 451
 summary, chart, 480
- Feverfew, Where is?, 337-338
- Fibroids. *See* Female Hormone Patterns, Excess.
- Fibromyalgia, What About?, 80.
See also Pain Management.
- Figwort (*Scrophularia nodosum*)
 caution/contraindication, 448
 closest substitute, 448
 constituents, 448
 dose, infusion or decoction, 448
 dose, tincture, 448
 extra information, 448
 indications, 448
- pairs well with, 448
 part of plant used, 448
 primary actions, 448
 summary, chart, 478
 used to treat
 asthma, 46
 colds and flus, acute, 63
 emphysema, 56
 hypothyroid conditions, 204, 205
- Flax Seed (*Linum usitatissimum*)
 constipation, 28
- Food Sensitivity, 8-9, 44
- Formulating, 3-6
 contraindications, 5
 example, 5
 quick guide, 4
 side effects, 5
- Fo-ti. *See* He Shou Wu.
- Frankincense (*Boswellia serrata*)
 caution/contraindication, 411
 closest substitute, 411
 constituents, 411
 dose, infusion or decoction, 411
 dose, tincture, 411
 extra information, 411
 indications, 411
 pairs well with, 411
 part of plant used, 411
 primary actions, 411
 summary, chart, 466
 used to treat
 osteoarthritis, 285
 rheumatoid arthritis, 293
- Fringetree (*Chionanthus virginicus*)
 caution/contraindication, 415
 closest substitute, 415
 constituents, 415
 dose, infusion or decoction, 415
 dose, tincture, 415
 extra information, 415
 indications, 415
 pairs well with, 415
 part of plant used, 415
 primary actions, 415
 summary, chart, 468
 used to treat
 gallstones, 38
- Fu Ling. *See* Wolfiporia.
- Fungi, Infections from. *See* Topical Infections.

- Galactagogue Botanical Action
 characteristic examples, 377
 definition, 377
 other herbs to consider, 377
 systems and activities, 377
 used to treat, 377
- Gallbladder Flush, The, 41-42
- Gallstones, 36-42
 cautions and interactions, 41
 description, 36
 desired botanical actions, 37-38
 dosage, 39
 alternative, 41
 etiologies, 37
 herb selection and formula, 39
 alternative, 40
 measurable outcomes, 37
 typical case presentation, 37
- Garlic (*Allium sativum*)
 caution/contraindication, 405
 closest substitute, 405
 constituents, 405
 dose, infusion or decoction, 405
 dose, tincture, 405
 extra information, 405
 indications, 405
 pairs well with, 405
 part of plant used, 405
 primary actions, 405
 summary, chart, 464
 used to treat
 congestive heart failure, 233
 hypertension, atherosclerosis, cardiovascular disease, 227, 229
- Gastroesophageal Reflux Disorder (GERD), 19-25, 350.
See also Prenatal Care.
 cautions and interactions, 24
 description, 19-20
 desired botanical actions, 21
 etiologies, 20-21
 herb selection and formula, 22-24
 measurable outcomes, 21
 other therapies, 24-25
 typical case presentation, 21
- Gender of Herbs, 267
- Gentian (*Gentiana lutea*)
 caution/contraindication, 424
 closest substitute, 424
 constituents, 424
 dose, infusion or decoction, 424
 dose, tincture, 424
 extra information, 424
 indications, 424
 pairs well with, 424
 part of plant used, 424
 primary actions, 424
 summary, chart, 471
 used to treat
 gallstones, 38
 Gastroesophageal Reflux Disorder (GERD), 22, 23
 infections, recurrent, 74
 Irritable Bowel Syndrome (IBS), 11, 12
 nausea, 32, 33
 Type II Diabetes, 211
- GERD. Gastroesophageal Reflux Disorder.
- German Chamomile (*Matricaria recutita*)
 anxiety, 301
 headaches and migraines, 336
- Ginger (*Zingiber officinalis*)
 caution/contraindication, 461
 closest substitute, 461
 constituents, 461
 dose, infusion or decoction, 461
 dose, tincture, 461
 extra information, 461
 indications, 461
 pairs well with, 461
 part of plant used, 461
 primary actions, 461
 summary, chart, 484
 used to treat
 anxiety, 301
 atopic presentations in children, 355
 cognitive decline in elderly, 367
 colds and flus, acute, 63
 constipation, 28
 female hormone patterns, deficient, 175
 gout, 150
 Irritable Bowel Syndrome (IBS), 11, 12
 nausea, 32
 nausea of pregnancy, 349
 osteoarthritis, 285, 286
 pain management, 325
 rheumatoid arthritis, 293
 urinary tract infection, 140
- Ginkgo (*Ginkgo biloba*)
 caution/contraindication, 424
 closest substitute, 425
 constituents, 424
 dose, infusion or decoction, 425
 dose, tincture, 425
 extra information, 424
 indications, 424
 pairs well with, 425
 part of plant used, 424
 primary actions, 424
 summary, chart, 471
 used to treat
 anxiety, 301
 Benign Prostatic Hyperplasia, 195, 197
 colds and flus, acute, 64
 cognitive decline in elderly, 367, 368
 congestive heart failure, 233, 235
 Gastroesophageal Reflux Disorder (GERD), 22
 gout, 150, 151
 headaches and migraines, 336, 337
 hemorrhoids and varicose veins, 240
 hypertension, atherosclerosis, cardiovascular disease, 227, 228
 insomnia, 316
 obesity, 218
 osteoarthritis, 285, 286
 pain management, 325
- Globe Artichoke (*Cynara scolymus*)
 caution/contraindication, 418
 closest substitute, 418
 constituents, 418
 dose, infusion or decoction, 418
 dose, tincture, 418
 extra information, 418
 indications, 418
 pairs well with, 418



- part of plant used, 418
 primary actions, 418
 summary, chart, 469
- Glycerin Extractions, 359
- Goat's Rue (*Galega officinalis*)
 caution/contraindication, 423
 closest substitute, 423
 constituents, 423
 dose, infusion or decoction, 423
 dose, tincture, 423
 extra information, 423
 indications, 423
 pairs well with, 423
 part of plant used, 423
 primary actions, 423
 summary, chart, 470
 used to treat
 female hormone
 patterns, excess, 164
 libido, lowered, 183, 184
 nursing, 352
 Type II Diabetes, 211, 213
- Goldenrod (*Solidago canadensis*)
 caution/contraindication, 450
 closest substitute, 450
 constituents, 450
 dose, infusion or decoction, 450
 dose, tincture, 450
 extra information, 450
 indications, 450
 pairs well with, 450
 part of plant used, 450
 primary actions, 449
 summary, chart, 479
 used to treat
 colds and flus, acute, 62, 63
 kidney stones, 155, 156
 urinary tract infection, 135, 136, 137, 138
- Goldenseal (*Hydrastis canadensis*)
 caution/contraindication, 428
 closest substitute, 428
 constituents, 428
 dose, infusion or decoction, 428
 dose, tincture, 428
 extra information, 428
 indications, 428
 pairs well with, 428
- part of plant used, 428
 primary actions, 427
 summary, chart, 472
 used to treat
 acne, 265, 266
 allergies, seasonal and situational, 87, 88
 Benign Prostatic Hyperplasia, 195
 chronic sinusitis, 68, 69
 Clostridium difficile infections, 109, 110
 colds and flus, acute, 62, 63, 64
 colds and flus in children, 360-361
 convalescence, 115
 Crohn's and Ulcerative Colitis, 15, 17
 depression, 309
 diarrhea, 35
 Gastroesophageal Reflux Disorder (GERD), 22
 gout, 150
 Hepatitis B and C, 97
 Lyme and co-infections, 103, 104, 105
 Myalgic Encephalomyelitis, 82
 psoriasis, 276
 topical infections, change in local terrain, 255, 256, 257
 topical infections, exceeds system's defences, 260, 261
 urinary tract infection, 136
 vaginal yeast infections, recurrent, 144
- Golden Thread (*Coptis sinensis*)
 Type II Diabetes, 211
- Gotu Kola (*Centella asiatica*)
 caution/contraindication, 414
 closest substitute, 414
 constituents, 414
 dose, infusion or decoction, 414
 dose, tincture, 414
 extra information, 414
 indications, 414
 pairs well with, 414
 part of plant used, 414
 primary actions, 414
 summary, chart, 467
- used to treat
 anxiety, 301
 attention challenges in children, 363, 364
 cognitive decline in elderly, 367
 depression, 309, 310
 Gastroesophageal Reflux Disorder (GERD), 22
 headaches and migraines, 336
 insomnia, 316, 317
 kidney stones, 155
 psoriasis, 276
 topical lesions (internal use), 248
 topical lesions (topical use), 248
- Gout, 148-152
 Autumn Crocus (*Colchicum autumnale*), 152
 cautions and interactions, 152
 description, 148
 desired botanical actions, 149-150
 dosage, 150
 etiologies, 148
 herb selection and formula, 150
 alternative, 151
 measurable outcomes, 148
 other therapies, 152
 typical case presentation, 148
- Gravel Root (*Centella asiatica*)
 caution/contraindication, 422
 closest substitute, 422
 constituents, 422
 dose, infusion or decoction, 422
 dose, tincture, 422
 extra information, 422
 indications, 422
 pairs well with, 422
 part of plant used, 422
 primary actions, 422
 summary, chart, 470
 used to treat
 kidney stones, 155, 156
- Greater Celandine (*Chelidonium majus*)
 caution/contraindication, 415
 closest substitute, 415
 constituents, 414

- dose, infusion or decoction, 415
 dose, tincture, 415
 extra information, 415
 indications, 415
 pairs well with, 415
 part of plant used, 415
 primary actions, 414
 summary, chart, 468
 used to treat
 gallstones, 38, 39
 obesity, 218, 219
- Greater Burdock (*Arctium lappa*)
 allergies, seasonal and situational, 87, 88, 89
 automimmune conditions, 120
 cancer, 125
 convalescence, 114, 115, 116
 Myalgic Encephalomyelitis, 82, 83
- Green Tea (*Camellia sinensis verde*)
 caution/contraindication, 412
 closest substitute, 412
 constituents, 412
 dose, infusion or decoction, 412
 dose, tincture, 412
 extra information, 412
 indications, 412
 pairs well with, 412
 part of plant used, 412
 primary actions, 412
 used to treat
 allergies, seasonal and situational, 89
 asthma, 46
 chronic sinusitis, 68
 congestive heart failure, 233
 depression, 309
 topical infections, change in local terrain, 256, 257
 topical infections, exceeds system's defences, 260
 topical infections, immune system breakdown, 253
 topical lesions (topical use), 249, 250
 vaginal yeast infections, recurrent, 144
- Grindelia (*Grindelia camporum*)
 asthma, 46
- Gumweed
 caution/contraindication, 425
 closest substitute, 425
 constituents, 425
 dose, infusion or decoction, 425
 dose, tincture, 425
 extra information, 425
 indications, 425
 pairs well with, 425
 part of plant used, 425
 primary actions, 425
 summary, chart, 471
- Gymnema (*Gymnema sylvestre*)
 caution/contraindication, 426
 closest substitute, 426
 constituents, 426
 dose, infusion or decoction, 426
 dose, tincture, 426
 extra information, 426
 indications, 426
 pairs well with, 426
 part of plant used, 426
 primary actions, 426
 summary, chart, 471
- HAART. Highly Active Antiretroviral Therapy.
- Harm Reduction, 14, 54, 57, 95, 152
- Hawthorn (*Crataegus oxyacantha*)
 caution/contraindication, 417
 closest substitute, 417
 constituents, 417
 dose, infusion or decoction, 417
 dose, tincture, 417
 extra information, 417
 indications, 417
 pairs well with, 417
 part of plant used, 417
 primary actions, 417
 summary, chart, 468
 used to treat
 anxiety, 301
 chronic bronchitis, 52, 54
 cognitive decline in elderly, 367
 congestive heart failure, 233, 234
 convalescence, 114, 116
 emphysema, 56, 57
 gout, 150, 151
 hemorrhoids and varicose veins, 240, 241
 hypertension, atherosclerosis, cardiovascular disease, 227, 228
 infections, recurrent, 74
 obesity, 218
 osteoarthritis, 285, 286
 pain management, 325
 pain management (fibromyalgia), 326
 rheumatoid arthritis, 293
 Type II Diabetes, 211
 urinary tract infection, 140
- Headaches and Migraines, 331-339
 acute treatment, 338-339
 cautions and interactions, 338
 description, 331
 desired botanical actions, 334-338
 dosage, 336
 etiologies, 332-333
 feverfew, 337-338
 herb selection and formula, 336
 measurable outcomes, 334
 other therapies, 338
 typical case presentation, 334
- Heartburn. *See* Gastroesophageal Reflux Disorder.
- Helicobacter pylori*, 20
- Hemorrhoids and Varicose Veins, 236-243
 cautions and interactions, 243
 description, 236-237
 desired botanical actions, 238-242
 dosage, 240
 internal, 240
 topical, 241
 etiologies, 237
 herb selection and formula alternative, 242
 internal, 240
 topical, 241
 measurable outcomes, 238
 other therapies, 243
 typical case presentation, 237-238



- Hepatic Botanical Action
 characteristic examples, 377
 definition, 377
 other herbs to consider, 377
 systems and activities, 377
 used to treat, 377
 acne, 264
 female hormone
 patterns, excess, 163
 gallstones, 37
 hemorrhoids and
 varicose veins, 238
 Hepatitis B and C, 96
 hypothyroid conditions,
 202, 203
 obesity, 216
 psoriasis, 275, 276
 rheumatoid arthritis,
 291, 292
- Hepatitis B and C, 95-100
 cautions and interactions,
 100
 cytomegalovirus (CMV), 95
 description, 95
 desired botanical actions,
 96-99
 dosage, 98
 Epstein-Barr Virus (EBV), 95
 etiologies, 96
 herb selection and
 formula, 98
 alternative, 99-100
 measurable outcomes, 96
 other therapies, 100
 typical case presentation, 96
- Hepatoprotective Botanical
 Action
 characteristic examples, 377
 definition, 377
 other herbs to consider, 377
 systems and activities, 377
 used to treat, 377
 Hepatitis B and C, 96
 immunocompromise,
 conditions of, 91, 92
 psoriasis, 275, 276
- He Shou Wu (*Polygonum
 multiflorum*)
 caution/contraindication,
 442
 closest substitute, 442
 constituents, 441
 dose, infusion or
 decoction, 442
 dose, tincture, 442
 extra information, 442
 female hormone patterns,
 deficient, 174, 175
 indications, 441
 libido, lowered, 186
 pairs well with, 442
 part of plant used, 442
 primary actions, 441
 summary, chart, 476
- Hibiscus (*Hibiscus sabdariffa*)
 caution/contraindication,
 427
 closest substitute, 427
 constituents, 427
 dose, infusion or
 decoction, 427
 dose, tincture, 427
 extra information, 427
 indications, 427
 pairs well with, 427
 part of plant used, 427
 primary actions, 427
 summary, chart, 472
 used to treat
 Benign Prostatic
 Hyperplasia, 195
 cognitive decline in
 elderly, 367
 colds and flus in
 children, 359
 congestive heart
 failure, 233
 gout, 150, 151
 hemorrhoids and
 varicose veins, 240
 hypertension,
 atherosclerosis,
 cardiovascular
 disease, 227, 228
 rheumatoid arthritis, 293
 Type II Diabetes, 211,
 213
- HIV. Human Immunodeficiency
 Virus.
- Honey
 libido, lowered, 189
 nausea, 32
- Hops (*Humulus lupulus*)
 caution/contraindication,
 427
 closest substitute, 427
 constituents, 427
 dose, infusion or
 decoction, 427
 dose, tincture, 427
 extra information, 427
 indications, 427
 pairs well with, 427
 part of plant used, 427
 primary actions, 427
 summary, chart, 472
 used to treat
 anxiety, 301
 female hormone
 patterns, deficient, 175
 insomnia, 316, 318
 pain management, 325
 pain management
 (symptomatic relief),
 329
 vaginal yeast infections,
 recurrent, 144
- Horehound (*Marrubium
 vulgare*)
 caution/contraindication,
 433
 closest substitute, 433
 constituents, 433
 dose, infusion or
 decoction, 433
 dose, tincture, 433
 extra information, 433
 indications, 433
 pairs well with, 433
 part of plant used, 433
 primary actions, 433
 summary, chart, 474
 used to treat
 chronic bronchitis, 52
 emphysema, 56
- Horny Goat Weed (*Epimedium
 grandiflorum*)
 Benign Prostatic
 Hyperplasia, 195
- Horse Chestnut (*Aesculus
 hippocastanum*)
 hemorrhoids and varicose
 veins, 240, 241
 summary, chart, 464
 topical infections, change
 in local terrain, 256
 topical infections, exceeds
 system's defences, 260
 topical lesions (topical
 use), 249
- Horsetail (*Equisetum arvense*)
 caution/contraindication,
 420
 closest substitute, 421
 constituents, 420
 dose, infusion or
 decoction, 421
 dose, tincture, 421
 extra information, 421
 indications, 420
 pairs well with, 421
 part of plant used, 421
 primary actions, 420
 summary, chart, 469

- used to treat
 - kidney stones, 155
 - urinary tract infection, 136
- Huang Qi. *See* Astragalus.
- Human Immunodeficiency Virus (HIV), 90, 95. *See also* Immunocompromise, Conditions of.
- Hydrangea (*Hydrangea arborescens*)
 - caution/contraindication, 427
 - closest substitute, 427
 - constituents, 427
 - dose, infusion or decoction, 427
 - dose, tincture, 427
 - extra information, 427
 - indications, 427
 - pairs well with, 427
 - part of plant used, 427
 - primary actions, 427
 - summary, chart, 472
 - used to treat
 - Benign Prostatic Hyperplasia, 195
 - kidney stones, 155
 - urinary tract infection, 135, 136
- Hydration, 111, 140, 153
- Hydrastis (*Hydrastis canadensis*)
 - allergies, seasonal and situational, 88
- Hydrotherapy. *See* Contrast Hydrotherapy.
- Hypertension, Atherosclerosis, Cardiovascular Disease, 224-230
 - cautions and interactions, 229-230
 - description, 224-225
 - desired botanical actions, 226-229
 - dosage, 228
 - etiologies, 225
 - stress, 225
 - herb selection and formula, 228
 - alternative, 229
 - discontinuing formula, 230
 - measurable outcomes, 226
 - other therapies, 230
 - typical case presentation, 225-226
- Hyperthyroidism, What About? 207
- Hypochlorhydria, 20
- Hypoglycemic Botanical Action
 - used to treat
 - female hormone patterns, excess, 163, 164
- Hypotensive Botanical Action
 - characteristic examples, 377
 - definition, 377
 - other herbs to consider, 377
 - systems and activities, 377
 - used to treat, 377
 - hypertension, atherosclerosis, cardiovascular disease, 226
- Hypothyroid Conditions, 199-208
 - bladderwrack, 207-208
 - cautions and interactions, 206-207
 - description, 199
 - desired botanical actions, 202-207
 - dosage, 205
 - alternative, 206
 - etiologies, 200-202
 - down-regulated metabolism, 201
 - thyroid storm, 200
 - herb selection and formula, 205
 - alternative, 205-206
 - hyperthyroidism, 207
 - measurable outcomes, 202
 - other therapies, 208
 - typical case presentation, 202
- Hyssop (*Hyssopus officinalis*)
 - caution/contraindication, 428
 - closest substitute, 428
 - constituents, 428
 - dose, infusion or decoction, 428
 - dose, tincture, 428
 - extra information, 428
 - indications, 428
 - pairs well with, 428
 - part of plant used, 428
 - primary actions, 428
- IBD. Inflammatory Bowel Disease.
- IBS. Irritable Bowel Syndrome.
- Immune System, 59-130
 - evolutionary influence, 59
 - interconnectedness, 59
 - colds and flus, acute, 60-66
 - chronic sinusitis, 66-70
 - infections, recurrent, 70-77
 - Myalgic Encephalomyelitis (Chronic Fatigue Syndrome), 78-85
 - allergies, seasonal and situational, 85-90
 - immunocompromise, conditions of, 90-95
 - Hepatitis B and C, 95-100
 - Lyme and co-infections, 100-106
 - Clostridium difficile* infections, 107-112
 - convalescence, 112-117
 - automimmune conditions, 117-122
 - cancer, 122-130
- Immunocompromise, Conditions of, 90-95
 - cautions and interactions, 94-95
 - description, 90
 - desired botanical actions, 91-94
 - dosage, 93
 - etiologies, 90-91
 - herb selection and formula, 93
 - alternative, 94
 - highly active antiretroviral therapy (HAART), 90
 - human immunodeficiency virus (HIV), 90
 - measurable outcomes, 91
 - other therapies, 95
 - typical case presentation, 91
- Immunomodulator Botanical Action
 - characteristic examples, 377
 - definition, 377
 - other herbs to consider, 377
 - systems and activities, 377
 - used to treat, 377
 - allergies, seasonal and situational, 86, 87
 - asthma, 45, 46
 - automimmune conditions, 118, 119
 - cancer, 124
 - colds and flus in children, 358
 - convalescence, 114
 - Crohn's and Ulcerative Colitis, 15, 16



- eczema, 270, 271
immunocompromise,
 conditions of, 91
infections, recurrent, 72
Lyme and co-infections,
 102
Myalgic
 Encephalomyelitis, 81
pain management, 323
psoriasis, 275, 276
urinary tract infection,
 135, 136
vaginal yeast infections,
 recurrent, 144
- Immunostimulant Botanical
Action
 characteristic examples, 378
 definition, 378
 other herbs to consider, 378
 systems and activities, 378
 used to treat, 378
 allergies, seasonal and
 situational, 87
 automimmune
 conditions, 118, 119
 cancer, 124
 chronic sinusitis, 67
 Clostridium difficile
 infections, 108
 colds and flus, acute,
 61, 62
 colds and flus in
 children, 358
 Hepatitis B and C,
 96, 97
 immunocompromise,
 conditions of, 91
 infections, recurrent, 72
 Lyme and co-infections,
 102
 Myalgic
 Encephalomyelitis, 81
 pain management, 323
 topical lesions, 247, 248
 urinary tract infection,
 135
 vaginal yeast infections,
 recurrent, 143, 144
- Indian Snakeroot (*Rauwolfia
serpentina*)
 caution/contraindication,
 443
 closest substitute, 443
 constituents, 443
 dose, infusion or
 decoction, 443
 dose, tincture, 443
 extra information, 443
- indications, 443
pairs well with, 443
part of plant used, 443
primary actions, 443
- Infections, Recurrent, 71-77
 adaptogens, immune
 modulators and
 alternatives, 73-74
 cautions and interactions,
 77
 description, 71
 desired botanical actions,
 72-76
 dosage, 74
 etiologies, 71
 herb selection and
 formula, 74
 alternative, 76
 measurable outcomes, 72
 other therapies, 77
 typical case presentation,
 72
- Inflammatory Bowel Disease
(IBM). *See* Crohn's and
Ulcerative Colitis.
- Inflammatory Pain. *See* Pain
Management.
- Insomnia, 312-321
 cautions and interactions,
 319
 description, 312-313
 desired botanical actions,
 315-319
 dosage, 317
 alternative, 319
 etiologies, 313-315
 classical insomnia,
 314-315
 stress, 313-314
 herb selection and
 formula, 317
 alternative, 318
 measurable outcomes, 315
 other therapies, 319-320
 shift work, 320
 supplements, cyclical
 regimens, 320-321
 typical case presentation,
 315
- Integumentary System,
245-279
 acne, 262-269
 eczema, 269-273
 immune organ, 246
 organ of elimination, 245
 permeable barrier, 245-246
 psoriasis, 274-279
 topical infections, 251-262
- topical lesions, 246-251
vitamin D production, 245
- Irritable Bowel Syndrome
(IBM), 8-13
 cautions and interactions,
 12-13
 description, 8-9
 desired botanical actions,
 10-11
 dosage, 11
 alternative, 12
 etiologies, 9
 herb selection and formula,
 11-13
 alternative, 12
 measurable outcomes, 9
 other therapies, 13
 typical case presentation, 9
- Jamaican Dogwood (*Piscidia
piscipula*)
 caution/contraindication,
 441
 closest substitute, 441
 constituents, 441
 dose, infusion or
 decoction, 441
 dose, tincture, 441
 extra information, 441
 indications, 441
 pairs well with, 441
 part of plant used, 441
 primary actions, 441
 summary, chart, 476
 used to treat
 anxiety, 301
 female hormone
 patterns, excess, 165
 gallstones, 38, 40
 headaches and
 migraines, 336
 insomnia, 316
 kidney stones, 155
 osteoarthritis, 285
 pain management, 325
 pain management
 (symptomatic relief),
 329-330
 rheumatoid arthritis,
 293
- Juice Boost for Men, 190
- Juniper (*Juniperus communis*)
 caution/contraindication,
 430
 closest substitute, 430
 constituents, 430
 dose, infusion or
 decoction, 430
 dose, tincture, 430

- extra information, 430
 - indications, 430
 - pairs well with, 430
 - part of plant used, 430
 - primary actions, 430
 - summary, chart, 473
 - used to treat
 - Clostridium difficile*
 - infections, 109
 - urinary tract infections, 136, 137, 138, 139, 140
- Kalmegh (*Andrographis paniculata*)
- caution/contraindication, 406
 - closest substitute, 406
 - constituents, 405
 - dose, infusion or decoction, 406
 - dose, tincture, 406
 - extra information, 406
 - indications, 406
 - pairs well with, 406
 - part of plant used, 406
 - primary actions, 405
 - summary, chart, 464
 - used to treat
 - Hepatitis B and C, 97
 - Lyme and co-infections, 104
- Kava Kava (*Piper methysticum*)
- caution/contraindication, 440
 - closest substitute, 440
 - constituents, 440
 - dose, infusion or decoction, 440
 - dose, tincture, 440
 - extra information, 440
 - indications, 440
 - pairs well with, 440
 - part of plant used, 440
 - primary actions, 440
 - summary, chart, 476
 - used to treat
 - anxiety, 301
 - depression, 309
 - headaches and migraines, 336
 - osteoarthritis, 285
 - rheumatoid arthritis, 293
- Khella (*Ammi visnaga*)
- allergies, seasonal and situational, 87
- Kidney Stones, 152-157
- cautions and interactions, 157
 - description, 152-153
- desired botanical actions, 154-155
- dissolving, 157
 - dosage, 156
 - etiologies, 153
 - herb selection and formula, 155
 - alternative, 156-157
 - measurable outcomes, 154
 - other therapies, 157
 - typical case presentation, 154
- Korean Red Ginseng (*Panax ginseng*)
- caution/contraindication, 437
 - closest substitute, 438
 - constituents, 437
 - dose, infusion or decoction, 438
 - dose, tincture, 438
 - extra information, 438
 - indications, 437
 - pairs well with, 438
 - part of plant used, 438
 - primary actions, 437
 - summary, chart, 475
 - used to treat
 - Benign Prostatic Hyperplasia, 195, 197
 - cancer, 125, 128
 - Clostridium difficile*
 - infections, 109
 - chronic sinusitis, 68, 69
 - cognitive decline in elderly, 367, 368
 - convalescence, 116
 - depression, 309, 310
 - eczema, 271
 - female hormone
 - patterns, deficient, 174, 175
 - Hepatitis B and C, 97
 - immunocompromise,
 - conditions of, 92, 94
 - infections, recurrent, 74
 - libido, lowered, 187
 - Lyme and co-infections, 103
 - Myalgic
 - Encephalomyelitis, 82
 - obesity, 218, 219
 - pain management, 325
 - pain management (fibromyalgia), 326
- Kutki (*Picrorhiza kurroa*)
- Hepatitis B and C, 97
 - Lyme and co-infections, 104
- Lady's Mantle (*Alchemilla vulgaris*)
- caution/contraindication, 404
 - closest substitute, 404
 - constituents, 404
 - dose, infusion or decoction, 404
 - dose, tincture, 404
 - extra information, 404
 - indications, 404
 - pairs well with, 404
 - part of plant used, 404
 - primary actions, 404
 - summary, chart, 464
- Lavender (*Lavandula officinalis*)
- caution/contraindication, 431
 - closest substitute, 431
 - constituents, 431
 - dose, infusion or decoction, 431
 - dose, tincture, 431
 - extra information, 431
 - indications, 431
 - pairs well with, 431
 - part of plant used, 431
 - primary actions, 431
 - summary, chart, 473
 - used to treat
 - anxiety, 301
 - attention challenges in children, 363
 - insomnia, 316, 318
 - libido, lowered, 189
 - mastitis, 353
- Laxative Botanical Action
- characteristic examples, 378
 - definition, 378
 - other herbs to consider, 378
 - systems and activities, 378
 - used to treat, 378
 - acne, 264
 - constipation, 27
 - female hormone
 - patterns, excess, 163
 - gallstones, 37
 - hemorrhoids and varicose veins, 238, 239
- Irritable Bowel Syndrome (IBS), 10
- obesity, 216, 217
 - rheumatoid arthritis, 291, 292
- Laxatives
- classes of, 26, 27



- purgatives, vitality, and, 31
 Lemon Balm (*Melissa officinalis*)
 caution/contraindication, 435
 closest substitute, 435
 constituents, 435
 dose, infusion or decoction, 435
 dose, tincture, 435
 extra information, 435
 indications, 435
 pairs well with, 435
 part of plant used, 435
 primary actions, 435
 summary, chart, 474
 used to treat
 anxiety, 301
 attention challenges in children, 363
 depression, 309
 Gastroesophageal Reflux Disorder (GERD), 22
 insomnia, 316, 318
 Irritable Bowel Syndrome (IBS), 11
 topical infections, exceeds system's defences, 260, 261
 Libido, Lowered, 179-191
 cautions and interactions, 190
 description, 179-180
 desired botanical actions, 182-190
 dosage, 184-185, 188
 etiologies, 180-181
 herb selection and formula, 184, 187
 alternative, 189
 juice boost for men, 190
 measurable outcomes, 182
 other therapies, 190-191
 restraint, 190
 typical case presentation, 181-182
 Libido Tonic Botanical Action
 characteristic examples, 378
 definition, 378
 other herbs to consider, 378
 systems and activities, 378
 used to treat, 378
 Licorice Root (*Glycyrrhiza glabra*)
 caution/contraindication, 425
 closest substitute, 425
 constituents, 425
 dose, infusion or decoction, 425
 dose, tincture, 425
 extra information, 425
 indications, 425
 pairs well with, 425
 part of plant used, 425
 primary actions, 425
 summary, chart, 471
 used to treat
 anxiety, 301, 302
 asthma, 46, 47
 automimmune conditions, 120, 121
 cancer, 125, 128
 chronic bronchitis, 52, 53
 Clostridium difficile infections, 109, 110
 colds and flus, acute, 62, 63, 64, 65
 colds and flus in children, 358, 360
 convalescence, 114
 Crohn's and Ulcerative Colitis, 15
 depression, 309
 diarrhea, 35
 eczema, 271, 272
 emphysema, 56, 57
 female hormone patterns, deficient, 174, 175, 176
 Gastroesophageal Reflux Disorder (GERD), 22
 Hepatitis B and C, 97, 98, 99
 immunocompromise, conditions of, 92, 94
 infections, recurrent, 74, 75, 76
 insomnia, 316
 Irritable Bowel Syndrome (IBS), 11
 kidney stones, 155, 156
 libido, lowered, 187
 Lyme and co-infections, 103, 104
 Myalgic Encephalomyelitis, 82, 83, 84
 nausea, 32
 pain management, 325
 pain management (inflammatory), 328
 pain management (fibromyalgia), 327
 rheumatoid arthritis, 293, 295
 topical infections, exceeds system's defences, 260
 vaginal yeast infections, recurrent, 144
 Lifestyle Habits, 24, 41, 54, 70, 77, 95, 100, 152, 198, 230, 296
 Lily of the Valley (*Convallaria majalis*)
 caution/contraindication, 417
 closest substitute, 417
 constituents, 417
 dose, infusion or decoction, 417
 dose, tincture, 417
 extra information, 417
 indications, 417
 pairs well with, 417
 part of plant used, 417
 primary actions, 417
 summary, chart, 468
 used to treat
 cognitive decline in elderly, 367
 congestive heart failure, 233, 234
 emphysema, 56
 hypertension, atherosclerosis, cardiovascular disease, 227, 228-229
 pain management, 325
 urinary tract infection, 140
 Linden (*Tilia cordata*)
 caution/contraindication, 453
 closest substitute, 453
 constituents, 453
 dose, infusion or decoction, 453
 dose, tincture, 453
 extra information, 453
 indications, 453
 pairs well with, 453
 part of plant used, 453
 primary actions, 453
 summary, chart, 481
 used to treat
 congestive heart failure, 233, 234
 hypertension, atherosclerosis, cardiovascular disease, 227, 229

- Lion's Mane (*Hericum erinaceus*)
 caution/contraindication, 426
 closest substitute, 427
 constituents, 426
 dose, infusion or decoction, 427
 dose, tincture, 426
 extra information, 426
 indications, 426
 pairs well with, 427
 part of plant used, 426
 primary actions, 426
 summary, chart, 472
 used to treat
 cancer, 125, 128
 convalescence, 115
 eczema, 271
 immunocompromise, conditions of, 92
 infections, recurrent, 74
 Lyme and co-infections, 103
 Myalgic Encephalomyelitis, 82
- Lobeilia (*Lobelia inflata*)
 caution/contraindication, 432
 closest substitute, 433
 constituents, 432
 dose, infusion or decoction, 433
 dose, tincture, 432
 extra information, 432
 indications, 432
 pairs well with, 433
 part of plant used, 432
 primary actions, 432
 summary, chart, 473
 used to treat
 allergies, seasonal and situational, 87, 88
 anxiety, 301, 303
 asthma, 46, 48
 chronic bronchitis, 51, 52, 53
 congestive heart failure, 233, 234
 depression, 309, 310
 during labor, 351
 emphysema, 56
 gallstones, 38
 Gastroesophageal Reflux Disorder (GERD), 22, 23
 headaches and migraines, 336
 hypertension, atherosclerosis, cardiovascular disease, 227
 Type II Diabetes, 211
- Lomatium (*Lomatium dissectum*)
 caution/contraindication, 433
 closest substitute, 433
 constituents, 433
 dose, infusion or decoction, 433
 dose, tincture, 433
 extra information, 433
 indications, 433
 pairs well with, 433
 part of plant used, 433
 primary actions, 433
 summary, chart, 474
 used to treat
 gout, 150
 Hepatitis B and C, 97, 99
 Lyme and co-infections, 104
 Myalgic Encephalomyelitis, 82
 topical infections, exceeds system's defences, 260
- Lotus Flower (*Nelumbo nucifera*)
 psoriasis, 276
- Lyme and Co-Infections, 100-106
 cautions and interactions, 106
 description, 100-101
 desired botanical actions, 101-106
 dosage, 104
 etiologies, 101
 herb selection and formula, 104
 alternative, 106
 measurable outcomes, 101
 other therapies, 106
 typical case presentation, 101
- Lymphatic Botanical Action
 characteristic examples, 378
 definition, 378
 other herbs to consider, 378
 systems and activities, 378
 used to treat, 378
 acne, 264
 Benign Prostatic Hyperplasia, 193, 194
 chronic sinusitis, 67-68
 colds and flus, acute, 61, 62
 infections, recurrent, 72, 73
 Lyme and co-infections, 102, 103
 urinary tract infection, 135
- Lymphatic Massage, 268
- Maca (*Lepidioum meyenii*)
 caution/contraindication, 431
 closest substitute, 432
 constituents, 431
 dose, infusion or decoction, 432
 dose, tincture, 432
 extra information, 432
 indications, 431
 pairs well with, 432
 part of plant used, 432
 primary actions, 431
 used to treat
 Benign Prostatic Hyperplasia, 195
- Ma Huang. *See* Ephedra.
- Maitake (*Grifola frondosa*)
 caution/contraindication, 425
 closest substitute, 425
 constituents, 425
 dose, infusion or decoction, 425
 dose, tincture, 425
 extra information, 425
 indications, 425
 pairs well with, 425
 part of plant used, 425
 primary actions, 425
 summary, chart, 471
 used to treat
 cancer, 125, 127
 convalescence, 115
 infections, recurrent, 74
 Lyme and co-infections, 103
 Myalgic Encephalomyelitis, 82
- Marigold (*Calendula officinalis*)
 caution/contraindication, 411
 closest substitute, 412
 constituents, 411
 dose, infusion or decoction, 412
 dose, tincture, 412
 extra information, 412



- indications, 411
 pairs well with, 412
 part of plant used, 412
 primary actions, 411
 summary, chart, 466
 used to treat
 atopic presentations in
 children, 355, 356
 depression, 309
 mastitis, 353
 perineal healing, 351
 psoriasis, 277
 topical infections,
 immune system
 breakdown, 253
 topical lesions (topical
 use), 248
 vaginal yeast infections,
 recurrent, 144
- Marijuana. *See* Cannabis.
- Marshmallow Root (*Althea officinalis*)
 caution/contraindication, 405
 closest substitute, 405
 constituents, 405
 dose, infusion or decoction, 405
 dose, tincture, 405
 extra information, 405
 indications, 405
 pairs well with, 405
 part of plant used, 405
 primary actions, 405
 summary, chart, 464
 used to treat
 asthma, 47
 chronic bronchitis, 52
 emphysema, 56
 topical infections,
 immune system
 breakdown, 253
 topical lesions (topical
 use), 248, 249, 250
 urinary tract infection, 136
- Mastitis, 352-353
 dosage, 353
 herb selection and formula, 353
 infectious, 352
 non-infectious, 352
 prevention, 352-353
- Matcha (*Camellia sinensis*)
 asthma, 48
- Mayapple (*Podophyllum peltatum*)
 cancer, 125
- ME. Myalgic Encephalomyelitis.
- Meadowsweet (*Filipendula ulmaria*)
 caution/contraindication, 422
 closest substitute, 422
 constituents, 422
 dose, infusion or decoction, 422
 dose, tincture, 422
 extra information, 422
 indications, 422
 pairs well with, 422
 part of plant used, 422
 primary actions, 422
 summary, chart, 470
 used to treat
 Crohn's and Ulcerative
 Colitis, 15
 diarrhea, 35, 36
 hypertension,
 atherosclerosis,
 cardiovascular
 disease, 227
 Irritable Bowel
 Syndrome (IBS), 11, 12
 nausea, 32
- Measurable Outcomes, 2-3
- Meditation, 230, 304, 319
- Menopause. *See* Female Hormone Patterns, Deficient.
- Menses, Irregular. *See* Female Hormone Patterns, Excess.
- Migraines. *See* Headaches and Migraines.
- Milk Thistle (*Silybum marianum*)
 caution/contraindication, 449
 closest substitute, 449
 constituents, 449
 dose, infusion or decoction, 449
 dose, tincture, 449
 extra information, 449
 indications, 449
 pairs well with, 449
 part of plant used, 449
 primary actions, 449
 summary, chart, 479
 used to treat
 Hepatitis B and C, 97
 immunocompromise,
 conditions of, 92
 psoriasis, 277
- Mint (*Mentha piperita*)
 summary, chart, 474
- used to treat
 Irritable Bowel
 Syndrome (IBS), 11
 nausea, 32
 nausea of pregnancy, 349-350
 osteoarthritis, 285
 rheumatoid arthritis, 293
- Mistletoe (*Viscum album*)
 caution/contraindication, 459
 closest substitute, 460
 constituents, 459
 dose, infusion or decoction, 460
 dose, tincture, 460
 extra information, 460
 indications, 459
 pairs well with, 460
 part of plant used, 460
 primary actions, 459
 summary, chart, 483
 used to treat
 congestive heart
 failure, 233
 hypertension,
 atherosclerosis,
 cardiovascular
 disease, 227
- Mitchella (*Mitchella repens*)
 female hormone patterns,
 deficient, 175
 female hormone patterns,
 excess, 165, 167
 libido, lowered, 183, 184
- Motherwort (*Leonurus cardiaca*)
 caution/contraindication, 431
 closest substitute, 431
 constituents, 431
 dose, infusion or decoction, 431
 dose, tincture, 431
 extra information, 431
 indications, 431
 pairs well with, 431
 part of plant used, 431
 primary actions, 431
 summary, chart, 473
 used to treat
 anxiety, 301
 congestive heart failure,
 233, 234
 hypertension,
 atherosclerosis,
 cardiovascular
 disease, 227

- insomnia, 316
- Mullein (*Verbascum thapsus*)
 - caution/contraindication, 458
 - closest substitute, 458
 - constituents, 458
 - dose, infusion or decoction, 458
 - dose, tincture, 458
 - extra information, 458
 - indications, 458
 - pairs well with, 458
 - part of plant used, 458
 - primary actions, 458
 - summary, chart, 482
 - used to treat
 - allergies, seasonal and situational, 87
 - asthma, 46, 47
 - chronic bronchitis, 51, 53
 - emphysema, 56, 57
- Musculoskeletal System, 281-296
 - acute injury, 283
 - least amenable, 281
 - optimal recovery principles, 282
 - osteoarthritis, 283-289
 - rheumatoid arthritis, 289-296
- Myalgic Encephalomyelitis (Chronic Fatigue Syndrome), 78-85
 - cautions and interactions, 84
 - description, 78
 - desired botanical actions, 80-84
 - dosage, 82-83
 - etiologies, 78-80
 - Fibromyalgia, what about?, 80
 - herb selection and formula, 82
 - alternative, 84
 - measurable outcomes, 80
 - other therapies, 84-85
 - typical case presentation, 80
- Myrrh
 - caution/contraindication, 416
 - closest substitute, 416
 - constituents, 416
 - dose, infusion or decoction, 416
 - dose, tincture, 416
 - extra information, 416
 - indications, 416
 - pairs well with, 416
 - part of plant used, 416
 - primary actions, 416
 - summary, chart, 468
 - Nature, 123, 191, 364
 - Nausea, 31-33. *See also* Prenatal Care.
 - cautions and interactions, 33
 - description, 31
 - desired botanical actions, 32
 - dosage, 32
 - etiologies, 31
 - herb selection and formula, 32
 - measurable outcomes, 31
 - of pregnancy, 349-350
 - other therapies, 33
 - typical case presentation, 31
 - Nervine Botanical Action
 - characteristic examples, 378
 - definition, 378
 - other herbs to consider, 378
 - systems and activities, 378
 - used to treat, 378
 - anxiety, 300
 - acne, 264, 265
 - attention challenges in children, 363
 - congestive heart failure, 232
 - depression, 308
 - Gastroesophageal Reflux Disorder (GERD), 21-22
 - headaches and migraines, 334
 - hypertension, atherosclerosis, cardiovascular disease, 226
 - insomnia, 315, 316
 - Irritable Bowel Syndrome (IBS), 10
 - kidney stones, 154, 155
 - libido, lowered, 182
- Nervous System, 297-339
 - anxiety, 298-305
 - depression, 305-312
 - headaches and migraines, 331-339
 - insomnia, 312-321
 - multiple disciplines and systems, 297
 - pain management, 321-331
- Nettle Leaf (*Urtica dioica folia*)
 - caution/contraindication, 456
 - closest substitute, 456
 - constituents, 456
 - dose, infusion or decoction, 456
 - dose, tincture, 456
 - extra information, 456
 - indications, 456
 - pairs well with, 456
 - part of plant used, 456
 - primary actions, 456
 - summary, chart, 482
 - used to treat
 - allergies, seasonal and situational, 87, 88
 - atopic presentations in children, 355, 356
 - attention challenges in children, 363
 - congestive heart failure, 233
 - gout, 150, 151
 - kidney stones, 155
 - osteoarthritis, 285
 - prenatal care, 349
 - rheumatoid arthritis, 293, 294
 - Type II Diabetes, 211
 - urinary tract infection, 136, 139
- Nettle Root (*Urtica dioica radix*)
 - caution/contraindication, 457
 - closest substitute, 457
 - constituents, 457
 - dose, infusion or decoction, 457
 - dose, tincture, 457
 - extra information, 457
 - indications, 457
 - pairs well with, 457
 - part of plant used, 457
 - primary actions, 457
 - summary, chart, 482
 - used to treat
 - allergies, seasonal and situational, 87, 88
 - automimmune conditions, 120
 - Benign Prostatic Hyperplasia, 195, 197
 - libido, lowered, 187
- Nicotine (*Nicotiana tabacum*)
 - Crohn's and Ulcerative Colitis, 18
- Night-blooming Cactus (*Selenicereus grandiflorus*)
 - caution/contraindication, 448
 - closest substitute, 449



- constituents, 448
 dose, infusion or decoction, 449
 dose, tincture, 449
 extra information, 448
 indications, 448
 pairs well with, 449
 part of plant used, 448
 primary actions, 448
 summary, chart, 479
- Nootropic Botanical Action**
 characteristic examples, 378
 definition, 378
 other herbs to consider, 378
 systems and activities, 378
 used to treat, 378
 attention challenges in children, 363
 cognitive decline in elderly, 366
 insomnia, 315, 316
- North American Ginseng (*Panax quinquefolius*)**
 caution/contraindication, 438
 closest substitute, 438
 constituents, 438
 dose, infusion or decoction, 438
 dose, tincture, 438
 extra information, 438
 indications, 438
 pairs well with, 438
 part of plant used, 438
 primary actions, 438
 summary, chart, 475
 used to treat
 allergies, seasonal and situational, 87
 asthma, 46, 47, 48
 automimmune conditions, 120
 cancer, 125, 128
 chronic bronchitis, 52, 54
 chronic sinusitis, 68
 Clostridium difficile infections, 109
 colds and flus, acute, 62
 Crohn's and Ulcerative Colitis, 15, 18
 depression, 309
 eczema, 271
 Gastroesophageal Reflux Disorder (GERD), 22
 Hepatitis B and C, 97, 98
 immunocompromise, conditions of, 92, 94
 infections, recurrent, 74, 75, 76
 Lyme and co-infections, 103, 105
 Myalgic Encephalomyelitis, 82, 83, 84
 pain management, 325
 urinary tract infection, 136
- NSAID. Non-steroidal Anti-inflammatory Drug.**
- Nursing, 352**
 dosage, 352
 herb selection and formula, 352
 latching, 352
- Nutritive Botanical Action**
 characteristic examples, 379
 definition, 379
 other herbs to consider, 379
 systems and activities, 379
 used to treat, 379
- Oat Straw (*Avena sativa*)**
 caution/contraindication, 409
 closest substitute, 409
 constituents, 409
 dose, infusion or decoction, 409
 dose, tincture, 409
 extra information, 409
 indications, 409
 pairs well with, 409
 part of plant used, 409
 primary actions, 409
 summary, chart, 466
 used to treat
 anxiety, 301
 attention challenges in children, 363
 insomnia, 316, 318
- Obesity, 214-221**
 cautions and interactions, 220
 description, 214-215
 body mass index, 215
 desired botanical actions, 216-220
 dosage, 218
 etiologies, 216
 herb selection and formula, 218
 alternative, 220
 measurable outcomes, 216
 other therapies, 221
 typical case presentation, 216
- Old Man's Beard (*Usnea barbata*)**
 caution/contraindication, 457
 closest substitute, 457
 constituents, 457
 dose, infusion or decoction, 457
 dose, tincture, 457
 extra information, 457
 indications, 457
 pairs well with, 457
 part of plant used, 457
 primary actions, 457
 summary, chart, 482
 used to treat
 Benign Prostatic Hyperplasia, 195
 topical infections, immune system breakdown, 253
 topical lesions (topical use), 249
 urinary tract infection, 136, 137, 139
- Olive Leaf (*Olea europaea*)**
 topical infections, change in local terrain, 255
- Omega-3 Oils, 84**
- Onion (*Allium cepa*)**
 hypertension, atherosclerosis, cardiovascular disease, 229
 summary, chart, 464
- Oregano (*Origanum vulgare*)**
Clostridium difficile infections, 109, 110
 colds and flus, acute, 62
 Lyme and co-infections, 103
 Myalgic Encephalomyelitis, 82
 topical infections, change in local terrain, 256
 topical infections, change in local terrain, 255
- Oregon Grape (*Berberis aquifolium*)**
 caution/contraindication, 410
 closest substitute, 410
 constituents, 410
 dose, infusion or decoction, 410
 dose, tincture, 410
 extra information, 410
 indications, 410
 pairs well with, 410
 part of plant used, 410

- primary actions, 410
- summary, chart, 466
- used to treat
 - acne, 265, 266
 - infections, recurrent, 74
 - hemorrhoids and varicose veins, 239, 241
 - hypothyroid conditions, 204, 205
 - Myalgic
 - Encephalomyelitis, 82
 - psoriasis, 276
 - topical infections, immune system breakdown, 253
 - Type II Diabetes, 211
- Osha (*Ligusticum porteri*)
 - caution/contraindication, 432
 - closest substitute, 432
 - constituents, 432
 - dose, infusion or decoction, 432
 - dose, tincture, 432
 - extra information, 432
 - indications, 432
 - pairs well with, 432
 - part of plant used, 432
 - primary actions, 432
 - summary, chart, 473
 - used to treat
 - chronic bronchitis, 51, 52, 53
 - convalescence, 115
 - Clostridium difficile* infections, 109
 - depression, 309
 - gout, 150
 - Hepatitis B and C, 97, 99
 - Lyme and co-infections, 104, 105
 - Myalgic
 - Encephalomyelitis, 82
 - topical infections, exceeds system's defences, 260
- Osteoarthritis, 283-289
 - cannabis for chronic pain, 288
 - cautions and interactions, 287-288
 - connective tissue, healing, 289
 - description, 283
 - desired botanical actions, 284-287
 - dosage, 286
 - alternative, 287
 - etiologies, 283
 - herb selection and formula, 285
 - alternative, 287
 - measurable outcomes, 284
 - other therapies, 288
 - tendonitis, 289
 - tumeric, 296
 - typical case presentation, 284
- Oxygen in the Blood, 55
- PACES. *See* Acute Injury.
- Pacing, 84, 112
- Pain Management, 321-331
 - cautions and interactions, 330
 - description, 321
 - desired botanical actions, 323-330
 - dosage
 - fibromyalgia, 326
 - inflammatory, 327
 - symptomatic relief, 329
 - emotional pain, 321
 - etiologies, 322
 - herb selection and formula
 - fibromyalgia, 325
 - inflammatory, 327
 - symptomatic relief, 328
 - measurable outcomes, 323
 - other therapies, 330-331
 - typical case presentation, 323
 - uncomplicated physiology, 321
- Partridge Berry (*Michella repens*)
 - caution/contraindication, 436
 - closest substitute, 436
 - constituents, 436
 - dose, infusion or decoction, 436
 - dose, tincture, 436
 - extra information, 436
 - indications, 436
 - pairs well with, 436
 - part of plant used, 436
 - primary actions, 436
 - summary, chart, 475
 - used to treat
 - during labor, 351
 - inducing for labor, 350
- Parturient Botanical Action
 - characteristic examples, 379
 - definition, 379
 - other herbs to consider, 379
 - systems and activities, 379
- used to treat, 379
- Passionflower (*Passiflora incarnata*)
 - caution/contraindication, 438
 - closest substitute, 439
 - constituents, 438
 - dose, infusion or decoction, 439
 - dose, tincture, 439
 - extra information, 438
 - indications, 438
 - pairs well with, 439
 - part of plant used, 438
 - primary actions, 438
 - summary, chart, 475
 - used to treat
 - anxiety, 301, 303
 - Gastroesophageal Reflux Disorder (GERD), 22
 - hypertension, atherosclerosis, cardiovascular disease, 227
 - insomnia, 316
 - kidney stones, 155
 - pain management, 325
 - rheumatoid arthritis, 293
- Pau d'Arco (*Tabebuia impetiginosa*)
 - caution/contraindication, 451
 - closest substitute, 451
 - constituents, 451
 - dose, infusion or decoction, 451
 - dose, tincture, 451
 - extra information, 451
 - indications, 451
 - pairs well with, 451
 - part of plant used, 451
 - primary actions, 451
 - summary, chart, 480
 - used to treat
 - chronic sinusitis, 68
 - Lyme and co-infections, 104
 - Myalgic
 - Encephalomyelitis, 82
 - topical infections, change in local terrain, 255, 257
 - vaginal yeast infections, recurrent, 144, 145
- PCOS. Polycystic Ovary Syndrome.



- Peppermint (*Mentha piperita*)
 caution/contraindication, 435
 closest substitute, 435
 constituents, 435
 dose, infusion or decoction, 435
 dose, tincture, 435
 extra information, 435
 indications, 435
 pairs well with, 435
 part of plant used, 435
 primary actions, 435
 used to treat
 depression, 309
 headaches and migraines, 336
 pain management, 325
- Peony (*Paeonia alba*)
 female hormone patterns, deficient, 174, 175
 female hormone patterns, excess, 164
 urinary tract infection, 136
 vaginal yeast infections, recurrent, 145-146
- Perinatal Care, 348-353
 delivery, 350-351
 Gastroesophageal Reflux Disease (GERD), 350
 mastitis, 352-353
 nausea of pregnancy, 349-350
 nursing, 352
 perineal healing, 351
 postpartum convalescence, 353
 prenatal care, 349
 temporary conditions, 348
- Perineal Healing, 351
 dosage, 351
 herb selection and formula, 351
- Periwinkle (*vina major/minor*)
 caution/contraindication, 459
 closest substitute, 459
 constituents, 459
 dose, infusion or decoction, 459
 dose, tincture, 459
 extra information, 459
 indications, 459
 pairs well with, 459
 part of plant used, 459
 primary actions, 459
 summary, chart, 483
- Pets, Treating the Triggers, 90
- Phyllanthus (*Phyllanthus amarus*)
 Hepatitis B and C, 97
- Physical Activity, increase 191, 198, 214, 221, 224, 243, 288, 311, 330, 364, 368
- Plantago (*Plantago lanceolata*)
 topical lesions (topical use), 248, 249
- Plantain (*Plantago* spp.)
 allergies, seasonal and situational, 87
 asthma, 47
 chronic bronchitis, 52
 emphysema, 56
 vaginal yeast infections, recurrent, 144
 summary, chart, 476
- Pleurisy Root (*Asclepias tuberosa*)
 caution/contraindication, 408
 closest substitute, 408
 constituents, 408
 dose, infusion or decoction, 408
 dose, tincture, 408
 extra information, 408
 indications, 408
 pairs well with, 408
 part of plant used, 408
 primary actions, 408
 summary, chart, 465
 used to treat
 allergies, seasonal and situational, 87
 congestive heart failure, 233
- Poke Root (*Phytolacca americana*)
 caution/contraindication, 440
 closest substitute, 440
 constituents, 440
 dose, infusion or decoction, 440
 dose, tincture, 440
 extra information, 440
 indications, 440
 pairs well with, 440
 part of plant used, 440
 primary actions, 440
 summary, chart, 476
 used to treat
 Lyme and co-infections, 103, 105
- Polycystic Ovary Syndrome.
 See Female Hormone
- Patterns, Excess.
- Poria (*Wolfiporia extensa*)
 Benign Prostatic Hyperplasia, 195, 197
 diarrhea, 35
- Postpartum Convalescence, 353. See also Convalescence.
 preventing postpartum depression, 353
- Prenatal Care, 349
 dosage, 349
 herb selection and formula, 349
- Preparing Botanicals, 395-401
 garbling, 396
 infusions and decoctions, 396
 optimum collection window, 395-396
 powders, 396
 proper drying, 396
 pros and cons, 395
 quality control, 395
 tinctures, 397-398
 fresh versus dried, 397
 guidelines for making, 397-398
 topical applications, 398-401
 infused oils, 399
 poultices, 401
 salves, 398-399, 400
- Prickly Ash (*Zanthoxylum americanum*)
 caution/contraindication, 461
 closest substitute, 461
 constituents, 461
 dose, infusion or decoction, 461
 dose, tincture, 461
 extra information, 461
 indications, 461
 pairs well with, 461
 part of plant used, 461
 primary actions, 461
 summary, chart, 483
 used to treat
 Benign Prostatic Hyperplasia, 195
 congestive heart failure, 233
 gout, 150
 hemorrhoids and varicose veins, 240, 241

- hypertension,
atherosclerosis,
cardiovascular
disease, 227
obesity, 218
osteoarthritis, 285
pain management, 325
topical lesions (internal
use), 248
- Privet Fruit (*Ligustrum
lucidum*)
caution/contraindication,
432
closest substitute, 432
constituents, 432
dose, infusion or
decoction, 432
dose, tincture, 432
extra information, 432
indications, 432
pairs well with, 432
part of plant used, 432
primary actions, 432
summary, chart, 473
- Probiotics, 19, 111, 147
- PSA. Prostate-Specific
Antigen.
- Psilocybin (*Psilocybin* spp.)
depression, 309
- Psoriasis, 274-279
cautions and interactions,
278-279
description, 274
desired botanical actions,
275-278
dosage, 277
alternative, 278
etiologies, 274
herb selection and
formula, 277
alternative, 278
measurable outcomes, 275
other therapies, 279
typical case presentation,
275
- Pulmonary Tonic Botanical
Action
characteristic examples, 379
definition, 379
other herbs to consider, 379
systems and activities, 379
used to treat, 379
asthma, 45
- Puncture Vine (*Tribulus
terrestris*)
caution/contraindication,
454
closest substitute, 454
- constituents, 454
dose, infusion or
decoction, 454
dose, tincture, 454
extra information, 454
indications, 454
pairs well with, 454
part of plant used, 454
primary actions, 454
summary, chart, 481
used to treat
Benign Prostatic
Hyperplasia, 195
Purgative. *See* Cathartic.
- Purple Corn Flower. *See*
Echinacea.
- Pygeum (*Pygeum africanum*)
caution/contraindication,
442
closest substitute, 442
constituents, 442
dose, infusion or
decoction, 442
dose, tincture, 442
extra information, 442
indications, 442
pairs well with, 442
part of plant used, 442
primary actions, 442
summary, chart, 476
used to treat
Benign Prostatic
Hyperplasia, 195, 196
- Quebracho (*Aspidosperma
quebracho*)
caution/contraindication,
408
closest substitute, 409
constituents, 408
dose, infusion or
decoction, 409
dose, tincture, 409
extra information, 408
indications, 408
pairs well with, 409
part of plant used, 409
primary actions, 408
summary, chart, 465
used to treat
emphysema, 56
- Queen Anne's Lace. *See* Wild
Carrot.
- Raspberry Leaf (*Rubus idaeus*)
vaginal yeast infections,
recurrent, 144
- Red Clover (*Trifolium pratense*)
caution/contraindication,
454
- closest substitute, 454
constituents, 454
dose, infusion or
decoction, 454
dose, tincture, 454
extra information, 454
indications, 454
pairs well with, 454
part of plant used, 454
primary actions, 454
summary, chart, 481
used to treat
acne, 265, 266
atopic presentations in
children, 355
automimmune
conditions, 120
female hormone
patterns, excess, 164,
168
libido, lowered, 183, 184
rheumatoid arthritis,
293
urinary tract infection,
136
vaginal yeast infections,
recurrent, 144
- Red Oak. *See* White Oak.
- Red Raspberry (*Rubus idaeus*)
caution/contraindication,
445
closest substitute, 445
constituents, 445
dose, infusion or
decoction, 445
dose, tincture, 445
extra information, 445
indications, 445
pairs well with, 445
part of plant used, 445
primary actions, 445
summary, chart, 478
used to treat
female hormone
patterns, excess, 164,
168
libido, lowered, 183, 184
prenatal care, 349
inducing for labor, 350
- Red Root (*Ceanothus
americanus*)
caution/contraindication,
414
closest substitute, 414
constituents, 414
dose, infusion or
decoction, 414
dose, tincture, 414



- extra information, 414
 indications, 414
 pairs well with, 414
 part of plant used, 414
 primary actions, 414
 summary, chart, 467
 used to treat
 Benign Prostatic
 Hyperplasia, 195
 chronic sinusitis, 68
 infections, recurrent, 74
- Rehmannia (*Rehmannia glutinosa*)
 anxiety, 302
 automimmune conditions, 120
 cancer, 125
 convalescence, 114, 116
 eczema, 271
 female hormone patterns, deficient, 174, 175, 176
 immunocompromise, conditions of, 92
- Reishi (*Ganoderma lucidum*)
 caution/contraindication, 424
 closest substitute, 424
 constituents, 423
 dose, infusion or decoction, 424
 dose, tincture, 424
 extra information, 424
 indications, 424
 pairs well with, 424
 part of plant used, 424
 primary actions, 423
 summary, chart, 471
 used to treat
 anxiety, 301
 asthma, 47
 automimmune conditions, 120, 121
 cancer, 125, 127
 cognitive decline in elderly, 367
 convalescence, 115
 depression, 309
 eczema, 271, 272
 emphysema, 56
 immunocompromise, conditions of, 92, 93
 infections, recurrent, 74
 insomnia, 316
 Lyme and co-infections, 103
 Myalgic Encephalomyelitis, 82, 83
 pain management, 325
- pain management (fibromyalgia), 326
 psoriasis, 276
 topical lesions (internal use), 248
- Renal and Genitourinary System, 131-157
 active and passive filtration, 131
 gout, 148-152
 kidney infections and failure, 132
 kidney stones, 152-157
 urinary tract infections (UTIs), 132-140
 urine testing, 131-132
 vaginal yeast infections, recurrent, 140-147
- Ren Shen. *See* Korean Red Ginseng.
- Respiratory System, 43-57
 asthma, 44-49
 chronic bronchitis, 49-55
 emphysema, 55-57
 factors influencing lung physiology, 43
 physiological adaptation, 43
- Rheumatoid Arthritis, 289-296
 cannabis for chronic pain, 288
 cautions and interactions, 295
 description, 289-290
 desired botanical actions, 291-295
 dosage, 294
 alternative, 295
 etiologies, 290-291
 herb selection and formula, 293
 alternative, 295
 measurable outcomes, 291
 other therapies, 295-296
 tumeric, 296
 typical case presentation, 291
- Rhodiola (*Rhodiola rosea*)
 caution/contraindication, 444
 closest substitute, 444
 constituents, 444
 dose, infusion or decoction, 444
 dose, tincture, 444
 extra information, 444
 indications, 444
 pairs well with, 444
- part of plant used, 444
 primary actions, 444
 summary, chart, 477
 used to treat
 anxiety, 301, 302
 depression, 309
 eczema, 271
 emphysema, 56
 female hormone patterns, deficient, 174
 hypothyroid conditions, 204
 immunocompromise, conditions of, 92
 libido, lowered, 185
 obesity, 218, 219
 pain management, 325
 urinary tract infection, 136
- RICE. Rest, Ice, Compression, Elevation. *See* Acute Injury.
- Rosemary (*Rosmarinus officinalis*)
 caution/contraindication, 444
 closest substitute, 445
 constituents, 444
 dose, infusion or decoction, 445
 dose, tincture, 445
 extra information, 445
 indications, 444
 pairs well with, 445
 part of plant used, 445
 primary actions, 444
 summary, chart, 477
 used to treat
 attention challenges in children, 363
 Clostridium difficile infections, 109, 110
 cognitive decline in elderly, 367, 368
 colds and flus, acute, 62, 63
 colds and flus in children, 358, 359
 insomnia, 316
 Lyme and co-infections, 103
 Myalgic Encephalomyelitis, 82
 topical infections, change in local terrain, 256
 topical infections, exceeds system's defences, 260

- topical infections, immune system breakdown, 253, 254
- Rubefacient Botanical Action
 - characteristic examples, 379
 - definition, 379
 - other herbs to consider, 379
 - systems and activities, 379
 - used to treat, 379
- Rue (*Ruta graveolens*)
 - caution/contraindication, 445
 - closest substitute, 446
 - constituents, 445
 - dose, infusion or decoction, 446
 - dose, tincture, 445
 - extra information, 445
 - indications, 445
 - pairs well with, 446
 - part of plant used, 445
 - primary actions, 445
- Sage (*Salvia officinalis*)
 - caution/contraindication, 446
 - closest substitute, 446
 - constituents, 446
 - dose, infusion or decoction, 446
 - dose, tincture, 446
 - extra information, 446
 - indications, 446
 - pairs well with, 446
 - part of plant used, 446
 - primary actions, 446
 - summary, chart, 478
 - used to treat
 - allergies, seasonal and situational, 87
 - attention challenges in children, 363
 - chronic sinusitis, 68, 69
 - Clostridium difficile* infections, 109, 110
 - cognitive decline in elderly, 367, 368
 - colds and flus, acute, 62, 63, 64, 65
 - colds and flus in children, 358, 359, 360
 - Lyme and co-infections, 103
 - Myalgic Encephalomyelitis, 82
 - topical infections, change in local terrain, 256
- topical infections, exceeds system's defences, 260, 261
- topical infections, immune system breakdown, 253, 254
 - urinary tract infection, 136, 138, 139
- Sarsaparilla (*Smilax officinalis*)
 - caution/contraindication, 449
 - closest substitute, 449
 - constituents, 449
 - dose, infusion or decoction, 449
 - dose, tincture, 449
 - extra information, 449
 - indications, 449
 - pairs well with, 449
 - part of plant used, 449
 - primary actions, 449
 - summary, chart, 479
 - used to treat
 - acne, 265, 266
 - automimmune conditions, 120
 - Benign Prostatic Hyperplasia, 195
 - cognitive decline in elderly, 367
 - depression, 309
 - female hormone patterns, deficient, 174, 175
 - female hormone patterns, excess, 164
 - Irritable Bowel Syndrome (IBS), 11
 - libido, lowered, 183, 184, 186, 189
 - Myalgic Encephalomyelitis, 82, 84
 - obesity, 218
 - pain management, 325
 - psoriasis, 276, 277
 - rheumatoid arthritis, 293
- Saunas, 65, 77
- Saw Palmetto (*Serenoa repens*)
 - caution/contraindication, 449
 - closest substitute, 449
 - constituents, 449
 - dose, infusion or decoction, 449
 - dose, tincture, 449
 - extra information, 449
 - indications, 449
 - pairs well with, 449
- part of plant used, 449
 - primary actions, 449
 - summary, chart, 479
 - used to treat
 - Benign Prostatic Hyperplasia, 195, 196
 - female hormone patterns, excess, 165
- Schisandra (*Schisandra sinensis*)
 - caution/contraindication, 447
 - closest substitute, 447
 - constituents, 447
 - dose, infusion or decoction, 447
 - dose, tincture, 447
 - extra information, 447
 - indications, 447
 - pairs well with, 447
 - part of plant used, 447
 - primary actions, 447
 - summary, chart, 478
 - used to treat
 - acne, 265, 266
 - convalescence, 114
 - eczema, 271, 272
 - female hormone patterns, deficient, 174, 175, 176
 - female hormone patterns, excess, 164
 - Hepatitis B and C, 97, 99
 - immunocompromise, conditions of, 92
 - libido, lowered, 183, 184, 189
 - psoriasis, 277
 - vaginal yeast infections, recurrent, 144
- Sedative Botanical Action
 - characteristic examples, 379
 - definition, 379
 - other herbs to consider, 379
 - systems and activities, 379
 - used to treat, 379
 - anxiety, 300
 - headaches and migraines, 334, 335
 - insomnia, 315, 316
 - kidney stones, 154, 155
 - pain management, 323, 324
- Senna (*Senna cassia*)
 - caution/contraindication, 413
 - closest substitute, 413



- constituents, 413
 dose, infusion or decoction, 413
 dose, tincture, 413
 extra information, 413
 indications, 413
 pairs well with, 413
 part of plant used, 413
 primary actions, 413
 summary, chart, 467
 used to treat
 constipation, 28
- Sexual Performance
 Challenges. *See* Libido, Lowered.
- Sexually Transmitted Infections (STIs), 140
- Shatavari (*Asparagus racemosus*)
 caution/contraindication, 408
 closest substitute, 408
 constituents, 408
 dose, infusion or decoction, 408
 dose, tincture, 408
 extra information, 408
 indications, 408
 pairs well with, 408
 part of plant used, 408
 primary actions, 408
 summary, chart, 465
- Shepherd's Purse (*Capsella bursa-pastoris*)
 caution/contraindication, 412
 closest substitute, 413
 constituents, 412
 dose, infusion or decoction, 413
 dose, tincture, 413
 extra information, 412
 indications, 412
 pairs well with, 413
 part of plant used, 413
 primary actions, 412
 summary, chart, 467
 used to treat
 hemorrhoids and varicose veins, 240
 perineal healing, 351
 topical lesions (topical use), 249
- Shift Work, 320
- Shiitake (*Lentinus edodes*)
 caution/contraindication, 431
 closest substitute, 431
 constituents, 431
 dose, infusion or decoction, 431
 dose, tincture, 431
 extra information, 431
 indications, 431
 pairs well with, 431
 part of plant used, 431
 primary actions, 431
 summary, chart, 473
 used to treat
 automimmune conditions, 120
 cancer, 125, 126
 convalescence, 115, 116
 immunocompromise, conditions of, 92
 infections, recurrent, 74
 pain management, 325
 psoriasis, 276
- Shu Di Huang (*Rehmannia glutinosa*)
 caution/contraindication, 443
 closest substitute, 443
 constituents, 443
 dose, infusion or decoction, 443
 dose, tincture, 443
 extra information, 443
 indications, 443
 pairs well with, 443
 part of plant used, 443
 primary actions, 443
 summary, chart, 477
- Sialagogue Botanical Action
 characteristic examples, 379
 definition, 379
 other herbs to consider, 379
 systems and activities, 379
 used to treat, 379
- Siberian Ginseng (*Eleutherococcus senticosus*)
 caution/contraindication, 420
 closest substitute, 420
 constituents, 420
 dose, infusion or decoction, 420
 dose, tincture, 420
 extra information, 420
 indications, 420
 pairs well with, 420
 part of plant used, 420
 primary actions, 420
 summary, chart, 469
 used to treat
 anxiety, 301, 302
 cancer, 125
 convalescence, 114
 depression, 309
 eczema, 271, 272
 Gastroesophageal Reflux Disorder (GERD), 22
 hypothyroid conditions, 204
 immunocompromise, conditions of, 92
 insomnia, 316
 pain management, 325
 topical lesions (internal use), 248
- Skin. *See* Integumentary System.
- Skullcap (*Scutellaria lateriflora*)
 caution/contraindication, 448
 closest substitute, 448
 constituents, 448
 dose, infusion or decoction, 448
 dose, tincture, 448
 extra information, 448
 indications, 448
 pairs well with, 448
 part of plant used, 448
 primary actions, 448
 summary, chart, 478
 used to treat
 anxiety, 301
 congestive heart failure, 234
 hypertension, atherosclerosis, cardiovascular disease, 227
 insomnia, 316
- Skunk Cabbage (*Symplocarpus foetidus*)
 caution/contraindication, 451
 closest substitute, 451
 constituents, 451
 dose, infusion or decoction, 451
 dose, tincture, 451
 extra information, 451
 indications, 451
 pairs well with, 451
 part of plant used, 451
 primary actions, 451
- Slippery Elm (*Ulmus rubra* a.k.a. *Ulmus fulva*)
 caution/contraindication, 456
 closest substitute, 456

- constituents, 456
- dose, infusion or decoction, 456
- dose, tincture, 456
- extra information, 456
- indications, 456
- pairs well with, 456
- part of plant used, 456
- primary actions, 456
- summary, chart, 482
- used to treat
 - Clostridium difficile* infections, 109, 111
 - Crohn's and Ulcerative Colitis, 15, 18
 - diarrhea, 35
 - female hormone patterns, deficient, 175
 - GERD during pregnancy, 350
 - Hepatitis B and C, 99
 - Irritable Bowel Syndrome (IBS), 11
- Snake Root (*Rauwolfia serpentina*)
 - congestive heart failure, 233, 234
 - hypertension, atherosclerosis, cardiovascular disease, 227
 - summary, chart, 477
- Solomon's Seal (True) (*Polygonatum biflorum*)
 - caution/contraindication, 441
 - closest substitute, 441
 - constituents, 441
 - dose, infusion or decoction, 441
 - dose, tincture, 441
 - extra information, 441
 - indications, 441
 - pairs well with, 441
 - part of plant used, 441
 - primary actions, 441
 - summary, chart, 476
- Special Populations, 341-369
 - children
 - atopic presentation in, 353-356
 - attention challenges, 361-365
 - colds and flus, 357-361
 - fertility challenges, 341-348
 - geriatrics
 - cognitive decline, 365-369
 - perinatal care, 348-353
- Spring Cleanses and Bear Medicine, 88
- St. John's Wort (*Hypericum perforatum*)
 - caution/contraindication, 428
 - closest substitute, 428
 - constituents, 428
 - dose, infusion or decoction, 428
 - dose, tincture, 428
 - extra information, 428
 - indications, 428
 - pairs well with, 428
 - part of plant used, 428
 - primary actions, 428
 - summary, chart, 472
 - used to treat
 - depression, 309, 310
 - headaches and migraines, 336
 - Hepatitis B and C, 97
 - Lyme and co-infections, 104
 - topical infections, exceeds system's defences, 260
- STIs. Sexually Transmitted Infections.
- Stimulant Botanical Action
 - characteristic examples, 380
 - definition, 380
 - other herbs to consider, 380
 - systems and activities, 380
 - used to treat, 380
 - attention challenges in children, 363
 - congestive heart failure, 232, 233
 - depression, 308
 - obesity, 216, 217-218
- Stinging Nettle (*Urtica dioica folia*)
 - headaches and migraines, 335
 - pain management, 325
- Stoneroot (*Collinsonia canadensis*)
 - caution/contraindication, 416
 - closest substitute, 416
 - constituents, 416
 - dose, infusion or decoction, 416
 - dose, tincture, 416
 - extra information, 416
 - indications, 416
 - pairs well with, 416
- part of plant used, 416
- primary actions, 416
- summary, chart, 468
- used to treat
 - hemorrhoids and varicose veins, 240
- Stool Transplants, 19, 111
- Strength of Topical Applications, 254
- Stress. *See* Hypertension, Atherosclerosis, Cardiovascular Disease.
- Styptic Botanical Action
 - characteristic examples, 380
 - definition, 380
 - other herbs to consider, 380
 - systems and activities, 380
 - used to treat, 380
 - hemorrhoids and varicose veins, 238, 239
 - topical lesions, 247, 248
- Sun Agaricus (*Agaricus blazei*)
 - immunocompromise, conditions of, 92
- Sundew (*Drosera rotundifolia*)
 - caution/contraindication, 419
 - closest substitute, 419
 - constituents, 419
 - dose, infusion or decoction, 419
 - dose, tincture, 419
 - extra information, 419
 - indications, 419
 - pairs well with, 419
 - part of plant used, 419
 - primary actions, 419
 - summary, chart, 469
- Supplements, Cyclical Regimen, 320-321
- Sweet Botanical Action
 - characteristic examples, 380
 - definition, 380
 - other herbs to consider, 380
 - systems and activities, 380
 - used to treat, 380
 - nausea, 32
- Sweet Wormwood (*Artemisia annua*)
 - caution/contraindication, 408
 - closest substitute, 408
 - constituents, 408
 - dose, infusion or decoction, 408
 - dose, tincture, 408
 - extra information, 408



- indications, 408
- pairs well with, 408
- part of plant used, 408
- primary actions, 408
- summary, chart, 465
- used to treat
 - urinary tract infection, 136, 145
- Symptomatic Tips for Children, 361
- Synergy, 3
- Systems
 - cardiovascular, 223-243
 - digestive, 7-42
 - endocrine, 159-221
 - genitourinary, 131-157
 - immune, 59-130
 - integumentary, 245-279
 - musculoskeletal, 281-296
 - nervous, 297-339
 - renal, 131-157
 - respiratory, 43-57
- TCM. Traditional Chinese Medicine.
- Teaching Approach
 - modeling, 1-2
 - responsible, 2
- Teasel (*Dipsacus sylvestris*)
 - caution/contraindication, 419
 - closest substitute, 419
 - constituents, 419
 - dose, infusion or decoction, 419
 - dose, tincture, 419
 - extra information, 419
 - indications, 419
 - pairs well with, 419
 - part of plant used, 419
 - primary actions, 419
 - summary, chart, 469
 - used to treat
 - gout, 150
 - Lyme and co-infections, 104, 105
 - Myalgic Encephalomyelitis, 82
- Tea Tree Oil (*Melaleuca alternifolia*)
 - caution/contraindication, 434
 - closest substitute, 435
 - constituents, 434
 - dose, infusion or decoction, 435
 - dose, tincture, 434
 - extra information, 434
 - indications, 434
 - pairs well with, 435
 - part of plant used, 434
 - primary actions, 434
 - summary, chart, 474
 - used to treat
 - mastitis, 353
- Tendonitis, What About?, 289
- Thyme (*Thymus vulgaris*)
 - caution/contraindication, 453
 - closest substitute, 453
 - constituents, 453
 - dose, infusion or decoction, 453
 - dose, tincture, 453
 - extra information, 453
 - indications, 453
 - pairs well with, 453
 - part of plant used, 453
 - primary actions, 453
 - summary, chart, 480
 - used to treat
 - chronic bronchitis, 51, 52, 53
 - Clostridium difficile* infections, 109, 110
 - colds and flus, acute, 62, 63
 - emphysema, 56
 - Lyme and co-infections, 103
 - Myalgic Encephalomyelitis, 82
 - topical infections, change in local terrain, 255, 256
 - topical infections, exceeds system's defences, 260
 - topical infections, immune system breakdown, 253
- Tienchi (*Panax notoginseng*)
 - caution/contraindication, 438
 - closest substitute, 438
 - constituents, 438
 - dose, infusion or decoction, 438
 - dose, tincture, 438
 - extra information, 438
 - indications, 438
 - pairs well with, 438
 - part of plant used, 438
 - primary actions, 438
- Tinder Mushroom (*Fomes formentarius*)
 - convalescence, 115
 - immunocompromise, conditions of, 92
- Topical Analgesic Botanical Action
 - used to treat
 - headaches and migraines, 334, 335
 - osteoarthritis, 284
 - pain management, 323
 - rheumatoid arthritis, 291, 292
- Topical Infections, 251-262. *See also* Topical Infections, Immune System Breakdown; Topical Infections, Change in Local Terrain; and Topical Infections, Exceeds System's Defences.
 - description, 251
 - etiologies, 251
 - typical case presentations, 252, 254, 258-259
- Topical Infections, Change in Local Terrain, 254-258
 - cautions and interactions, 257
 - desired botanical actions, 255-257
 - dosage, 256
 - alternative, herb selection and formula, 256
 - alternative, 257-258
 - measurable outcomes, 255
 - other therapies, 258
 - typical case presentation, 254
- Topical Infections, Exceeds System's Defences, 258-262
 - desired botanical actions, 259-262
 - dosage, 260
 - herb selection and formula, 260
 - alternative, 261
 - measurable outcomes, 259
 - other therapies, 261-262
 - typical case presentation, 258-259
 - warts, 262
- Topical Infections, Immune System Breakdown, 252-254
 - cautions and interactions, 254
 - desired botanical actions, 252-254
 - dosage, 253
 - strength, 254

- herb selection and formula, 253
- measurable outcomes, 252
- other therapies, 254
- typical case presentation, 252
- Topical Lesions, 246-251
 - cautions and interactions, 250-251
 - arnica and comfrey, 248
 - description, 246
 - desired botanical actions, 247-250
 - internal use, 248
 - topical use, 248-249
 - dosage, 249
 - etiologies, 247
 - herb selection and formula, 249
 - topicals for specific lesions, 250
 - measurable outcomes, 247
 - typical case presentation, 247
- Topicals for Specific Lesions, 250
- TSH. Thyroid-Stimulating Hormone.
- Triggers, Avoid, 24, 90, 122, 139, 261, 279, 296, 331, 338
- Tumeric (*Curcuma longa*), 296
 - caution/contraindication, 418
 - closest substitute, 418
 - constituents, 417
 - dose, infusion or decoction, 418
 - dose, tincture, 418
 - extra information, 418
 - indications, 417
 - pairs well with, 418
 - part of plant used, 418
 - primary actions, 417
 - summary, chart, 469
 - used to treat
 - automimmune conditions, 120
 - Crohn's and Ulcerative Colitis, 15
 - gout, 150
 - headaches and migraines, 336
 - Lyme and co-infections, 106
 - osteoarthritis, 285
 - pain management, 325
 - pain management (inflammatory), 328
 - rheumatoid arthritis, 293
- Tumeric, Guidelines, 296
- Turkey Rhubarb (*Rheum palmatum*)
 - caution/contraindication, 444
 - closest substitute, 444
 - constituents, 444
 - dose, infusion or decoction, 444
 - dose, tincture, 444
 - extra information, 444
 - indications, 444
 - pairs well with, 444
 - part of plant used, 444
 - primary actions, 444
 - summary, chart, 477
 - used to treat
 - acne, 265
 - constipation, 28, 29
 - headaches and migraines, 335
- Turkey Tail (*Trametes versicolor*)
 - caution/contraindication, 454
 - closest substitute, 454
 - constituents, 454
 - dose, infusion or decoction, 454
 - dose, tincture, 454
 - extra information, 454
 - indications, 454
 - pairs well with, 454
 - part of plant used, 454
 - primary actions, 454
 - summary, chart, 481
 - used to treat
 - cancer, 125, 127
 - convalescence, 115
 - immunocompromise, conditions of, 92, 94
 - infections, recurrent, 74
 - Lyme and co-infections, 103
 - Myalgic Encephalomyelitis, 82
 - pain management, 325
 - psoriasis, 276
 - urinary tract infection, 136
- Turtlehead (*Chelone glabra*)
 - gallstones, 38
- Tylophora (*Tylophora asthmatica*)
 - caution/contraindication, 455
 - closest substitute, 456
 - constituents, 455
 - dose, infusion or decoction, 456
 - dose, tincture, 456
 - extra information, 455
 - indications, 455
 - pairs well with, 456
 - part of plant used, 455
 - primary actions, 455
- Type II Diabetes, 208-214
 - cautions and interactions, 213-214
 - description, 208
 - desired botanical actions, 209-213
 - dosage, 212
 - alternative, 213
 - etiologies, 209
 - herb selection and formula, 211
 - alternative, 213
 - measurable outcomes, 209
 - other therapies, 214
 - typical case presentation, 209
- Typical Case Presentations
 - acne, 263-264
 - allergies, seasonal and situational, 86
 - anxiety, 299-300
 - asthma, 45
 - atherosclerosis, 225-226
 - atopic presentation in children, 354
 - attention challenges in children, 362
 - automimmune conditions, 118
 - Benign Prostatic Hyperplasia, 193
 - cancer, 123
 - cardiovascular disease, 225-226
 - chronic bronchitis, 50-51
 - chronic sinusitis, 67
 - Clostridium difficile* infections, 107
 - cognitive decline in elderly, 366
 - colds, acute, 61
 - colds in children, 357
 - congestive heart failure, 231
 - constipation, 27
 - convalescence, 113
 - Crohn's and Ulcerative Colitis (UC), 14
 - depression, 307
 - diarrhea, 34
 - eczema, 270



- female hormone patterns, deficient, 172-173
- female hormone patterns, excess, 162
- fertility challenges, 343-344, 345
- flus, acute, 61
- flus in children, 357
- gallstones, 37
- Gastroesophageal Reflux Disorder (GERD), 21
- gout, 148
- headaches and migraines, 334
- hemorrhoids, 237-238
- Hepatitis B and C, 96
- hypertension, 225-226
- hypothyroid conditions, 202
- immunocompromise, conditions of, 91
- infections, recurrent, 72
- insomnia, 315
- Irritable Bowel Syndrome (IBS), 9
- kidney stones, 154
- libido, lowered, 181-182
- Lyme and co-infections, 101
- Myalgic Encephalomyelitis (Chronic Fatigue Syndrome), 80
- nausea, 31
- obesity, 216
- osteoarthritis, 284
- pain management, 323
- psoriasis, 275
- rheumatoid arthritis, 291
- topical infections, change in local terrain, 254
- topical infections, exceeds system's defences, 258-259
- topical infections, immune system breakdown, 252
- topical lesions, 247
- Type II Diabetes, 209
- urinary tract infection, 134
- vaginal yeast infections, recurrent, 142
- varicose veins, 237-238
- UC. Ulcerated Colitis.
- Ulcerative Colitis. *See* Crohn's.
- Urinary Tract Infections (UTIs), 132-140
- acute, 132-133
- biofilms, 133
- cautions and interactions, 139
- description, 132-133
- desired botanical actions, 135-136
- diuretics, understanding, 140
- dosage
- acute UTIs, 137
- recurrent UTIs, 138
- etiologies, 133-134
- Escherichia coli (E. coli), 133
- herb selection and formula
- acute UTIs, 137
- recurrent UTIs, 138
- measurable outcomes, 135
- other therapies, 139
- recurrent, 133
- correlates, 134
- sexually transmitted infections (STIs), 140
- typical case presentation, 134
- Uterine Tonic Botanical Action
- used to treat
- perinatal care, delivery, 350-351
- UTIs. Urinary Tract Infections.
- Vaginal Yeast Infections, Recurrent, 132, 134, 140-147
- cautions and interactions, 147
- description, 140-141
- desired botanical actions, 143-144
- dosage, 144-145
- alternative, 147
- etiologies, 141-142
- Candida, 141
- herb selection and formula, 144
- alternative, 146
- measurable outcomes, 143
- other therapies, 147
- typical case presentation, 142
- Valerian (*Valeriana officinalis*)
- caution/contraindication, 458
- closest substitute, 458
- constituents, 458
- dose, infusion or decoction, 458
- dose, tincture, 458
- extra information, 458
- indications, 458
- pairs well with, 458
- part of plant used, 458
- primary actions, 458
- summary, chart, 482
- used to treat
- anxiety, 301
- congestive heart failure, 233, 234, 235
- gallstones, 38
- headaches and migraines, 336, 337
- hypertension, atherosclerosis, cardiovascular disease, 227
- insomnia, 316
- kidney stones, 155, 156
- osteoarthritis, 285, 286
- pain management, 325
- pain management (symptomatic relief), 329
- Vanilla (*Vanilla plantifolia*)
- anxiety, 301
- libido, lowered, 188
- Vanilla Orchid (*Vanilla planifolia*)
- anxiety, 301
- depression, 309
- Varicose Veins. *See* Hemorrhoids and Varicose Veins.
- Varuna (*Crateva nurvala*)
- urinary tract infection, 136
- Vascular Tonic Botanical Action
- characteristic examples, 380
- defintion, 380
- other herbs to consider, 380
- systems and activities, 380
- used to treat, 380
- anxiety, 300
- cognitive decline in elderly, 366
- congestive heart failure, 232
- gout, 149
- headaches and migraines, 334, 335
- hemorrhoids and varicose veins, 238, 239
- hypertension, atherosclerosis, cardiovascular disease, 226
- obesity, 216, 217
- osteoarthritis, 284
- pain management, 323
- rheumatoid arthritis, 291, 292
- Type II Diabetes, 209, 210

- Vervain (*Verbena hastata*)
 caution/contraindication, 458
 closest substitute, 458
 constituents, 458
 dose, infusion or decoction, 458
 dose, tincture, 458
 extra information, 458
 indications, 458
 pairs well with, 458
 part of plant used, 458
 primary actions, 458
 summary, chart, 482
 used to treat
 acne, 265, 266, 267
 eczema, 271
 female hormone patterns, excess, 164
 Gastroesophageal Reflux Disorder (GERD), 22
 headaches and migraines, 335
 hypothyroid conditions, 204, 205
 libido, lowered, 183, 184
 vaginal yeast infections, recurrent, 144, 147
- Viruses, Infections from. *See* Topical Infections.
- Vitamin B12, 122, 273
- Vitamin C, 26, 65, 129, 139
- Vitamin D, 84, 89, 106, 122, 273
- Vitex, Where's My, 179
- Vulnerary Botanical Action
 characteristic examples, 380
 definition, 380
 other herbs to consider, 380
 systems and activities, 380
 used to treat, 380
 asthma, 45
 atopic presentations in children, 354
 Crohn's and Ulcerative Colitis, 15-16
 diarrhea, 34
 emphysema, 56
 Gastroesophageal Reflux Disorder (GERD), 22
 hemorrhoids and varicose veins, 238, 239
 Irritable Bowel Syndrome (IBS), 10
 kidney stones, 154
 perineal healing, 351
 psoriasis, 275, 276
 topical infections, immune system breakdown, 252
 topical lesions, 247
 urinary tract infection, 135
 vaginal yeast infections, recurrent, 143
- Warming Botanical Action
 used to treat
 nausea, 32
- Warming Sock Treatment, 65, 66, 77, 360
- Warm, Well-Cooked Foods, 19, 24, 36, 95, 100, 117, 178
- Warts, What About?, 262, 356
- Weight Loss. *See* Obesity.
- White Cedar (*Thuja occidentalis*)
 caution/contraindication, 453
 closest substitute, 453
 constituents, 453
 dose, infusion or decoction, 453
 dose, tincture, 453
 extra information, 453
 indications, 453
 pairs well with, 453
 part of plant used, 453
 primary actions, 453
 used to treat
 colds and flus, acute, 62
 Lyme and co-infections, 103
 urinary tract infection, 136, 138, 139
 vaginal yeast infections, recurrent, 144
- White Oak (*Quercus alba*)
 caution/contraindication, 443
 closest substitute, 443
 constituents, 442
 dose, infusion or decoction, 443
 dose, tincture, 443
 extra information, 443
 indications, 442
 pairs well with, 443
 part of plant used, 443
 primary actions, 442
 summary, chart, 477
 used to treat
 hemorrhoids and varicose veins, 240
 topical infections, change in local terrain, 256
 topical infections, exceeds system's defences, 260
 topical infections, immune system breakdown, 253
 vaginal yeast infections, recurrent, 144
- White Peony (*Paeonia lactiflora*)
 caution/contraindication, 437
 closest substitute, 437
 constituents, 437
 dose, infusion or decoction, 437
 dose, tincture, 437
 extra information, 437
 indications, 437
 pairs well with, 437
 part of plant used, 437
 primary actions, 437
 summary, chart, 475
 used to treat
 female hormone patterns, deficient, 176
 female hormone patterns, excess, 167
 libido, lowered, 184
 vaginal yeast infections, recurrent, 144
- White Willow (*Salix alba*)
 caution/contraindication, 446
 closest substitute, 446
 constituents, 446
 dose, infusion or decoction, 446
 dose, tincture, 446
 extra information, 446
 indications, 446
 pairs well with, 446
 part of plant used, 446
 primary actions, 446
 summary, chart, 478
 used to treat
 hypertension, atherosclerosis, cardiovascular disease, 227
 pain management, 325
 pain management (inflammatory), 328
- Wild Carrot (*Daucus carota*)
 caution/contraindication, 418



- closest substitute, 418
 constituents, 418
 dose, infusion or decoction, 418
 dose, tincture, 418
 extra information, 418
 indications, 418
 pairs well with, 418
 part of plant used, 418
 primary actions, 418
- Wild Cherry Bark (*Prunus serotina*)**
 caution/contraindication, 442
 closest substitute, 442
 constituents, 442
 dose, infusion or decoction, 442
 dose, tincture, 442
 extra information, 442
 indications, 442
 pairs well with, 442
 part of plant used, 442
 primary actions, 442
 summary, chart, 477
 used to treat
 chronic bronchitis, 52, 54
 emphysema, 56
- Wild Indigo (*Baptisia tinctoria*)**
 caution/contraindication, 410
 closest substitute, 410
 constituents, 410
 dose, infusion or decoction, 410
 dose, tincture, 410
 extra information, 410
 indications, 410
 pairs well with, 410
 part of plant used, 410
 primary actions, 410
 summary, chart, 466
 used to treat
 Hepatitis B and C, 97, 98
 Lyme and co-infections, 104
 Myalgic Encephalomyelitis, 82
 topical infections, exceeds system's defences, 260
- Wild Lettuce (*Lactuca virosa*)**
 caution/contraindication, 430
 closest substitute, 430
 constituents, 430
 dose, infusion or decoction, 430
- dose, tincture, 430
 extra information, 430
 indications, 430
 pairs well with, 430
 part of plant used, 430
 primary actions, 430
 summary, chart, 473
 used to treat
 anxiety, 301
 gallstones, 38, 40
 insomnia, 316
 osteoarthritis, 285
 pain management (symptomatic relief), 329
 rheumatoid arthritis, 293
- Wild Yam (*Dioscorea villosa*)**
 caution/contraindication, 418
 closest substitute, 419
 constituents, 418
 dose, infusion or decoction, 419
 dose, tincture, 419
 extra information, 418
 indications, 418
 pairs well with, 419
 part of plant used, 419
 primary actions, 418
 summary, chart, 469
 used to treat
 automimmune conditions, 120, 121
 female hormone patterns, deficient, 174, 175
 female hormone patterns, excess, 165
 gout, 150, 151
 kidney stones, 155
 libido, lowered, 183, 184
 vaginal yeast infections, recurrent, 144
- Wintergreen (*Gaultheria procumbens*)**
 osteoarthritis, 285
 rheumatoid arthritis, 293
- Witch Hazel (*Hamamelis virginiana*)**
 caution/contraindication, 426
 closest substitute, 426
 constituents, 426
 dose, infusion or decoction, 426
 dose, tincture, 426
 extra information, 426
 indications, 426
- pairs well with, 426
 part of plant used, 426
 primary actions, 426
 summary, chart, 471
 used to treat
 hemorrhoids and varicose veins, 240, 242
 topical infections, change in local terrain, 256
 topical infections, exceeds system's defences, 260
 topical infections, immune system breakdown, 253
 topical lesions (topical use), 249
- Wolfiporia (*Wolfiporia extensa* a.k.a. *fu ling*)**
 caution/contraindication, 460
 closest substitute, 461
 constituents, 460
 dose, infusion or decoction, 461
 dose, tincture, 461
 extra information, 460
 indications, 460
 pairs well with, 461
 part of plant used, 461
 primary actions, 460
 summary, chart, 483
 used to treat
 congestive heart failure, 233, 234
- Wood Betony (*Stachys officinalis*)**
 caution/contraindication, 450
 closest substitute, 450
 constituents, 450
 dose, infusion or decoction, 450
 dose, tincture, 450
 extra information, 450
 indications, 450
 pairs well with, 450
 part of plant used, 450
 primary actions, 450
 summary, chart, 479
 used to treat
 depression, 309
- Wormwood (*Artemisia absinthium*)**
 caution/contraindication, 407
 closest substitute, 407
 constituents, 407

- dose, infusion or decoction, 407
- dose, tincture, 407
- extra information, 407
- indications, 407
- pairs well with, 407
- part of plant used, 407
- primary actions, 407
- summary, chart, 465
- used to treat
 - anxiety, 301
 - chronic sinusitis, 68, 69
 - Clostridium difficile* infections, 109, 110
 - gallstones, 38, 39, 40
 - Gastroesophageal Reflux Disorder (GERD), 22
 - Lyme and co-infections, 104
 - Myalgic Encephalomyelitis, 82
 - topical infections, immune system breakdown, 253, 254
 - Type II Diabetes, 211
 - vaginal yeast infections, recurrent, 145
- Yarrow (*Achillea millefolium*)
 - caution/contraindication, 403
 - closest substitute, 403
 - constituents, 403
 - dose, infusion or decoction, 403
 - dose, tincture, 403
 - extra information, 403
 - indications, 403
 - pairs well with, 403
 - part of plant used, 403
 - primary actions, 403
 - summary, chart, 464
 - used to treat
 - acne, 265, 266
 - atopic presentations in children, 355
 - attention challenges in children, 363
 - Benign Prostatic Hyperplasia, 195
 - colds and flus, acute, 63
 - colds and flus in children, 358
 - congestive heart failure, 233
 - constipation, 28
 - Crohn's and Ulcerative Colitis, 15, 17-18
 - diarrhea, 35
 - gallstones, 38, 40
 - Gastroesophageal Reflux Disorder (GERD), 22, 23
 - hemorrhoids and varicose veins, 240
 - hypertension, atherosclerosis, cardiovascular disease, 227
 - infections, recurrent, 74
 - Irritable Bowel Syndrome (IBS), 11
 - osteoarthritis, 285
 - pain management, 325
 - perineal healing, 351
 - psoriasis, 276
 - rheumatoid arthritis, 293, 294
 - topical infections, change in local terrain, 256
 - topical infections, immune system breakdown, 253, 254
 - topical lesions (topical use), 248, 249, 250
 - Type II Diabetes, 211, 212
 - urinary tract infection, 140
 - vaginal yeast infections, recurrent, 147
- Yellow Dock (*Rumex crispus*)
 - caution/contraindication, 445
 - closest substitute, 445
 - constituents, 445
 - dose, infusion or decoction, 445
 - dose, tincture, 445
 - extra information, 445
 - indications, 445
 - pairs well with, 445
- part of plant used, 445
- primary actions, 445
- summary, chart, 478
- used to treat
 - acne, 265, 267
 - automimmune conditions, 120, 121
 - cancer, 125
 - constipation, 28, 29
 - female hormone patterns, deficient, 175
 - headaches and migraines, 335
 - hemorrhoids and varicose veins, 239, 241-242
 - hypothyroid conditions, 204
 - Irritable Bowel Syndrome (IBS), 11
 - infections, recurrent, 74
 - obesity, 218, 219
 - psoriasis, 276, 277
 - rheumatoid arthritis, 293
- Yellow Jasmine (*Gelsemium semperviens*)
 - summary, chart, 471
- Yerba mate (*Ilex paraguariensis*)
 - congestive heart failure, 233
 - depression, 309
- Yohimbe (*Pausinystalia yohimbe* a.k.a. *Coryanthes yohimbe*)
 - caution/contraindication, 439
 - closest substitute, 439
 - constituents, 439
 - dose, infusion or decoction, 439
 - dose, tincture, 439
 - extra information, 439
 - indications, 439
 - pairs well with, 439
 - part of plant used, 439
 - primary actions, 439
 - summary, chart, 475
 - used to treat
 - Benign Prostatic Hyperplasia, 195
- Young's Rule. *See* Dosing for Children.